NOMAPACK® PAD TRANSPORT CUSHION WITH BIG IMPACT

 $\mathsf{NOMAPACK}^{\circledast}$ PAD is a spacer available in various dimensions with removable or permanent glue.

It is a packaging pad for separating sensitive goods or fixing them in place. The pads are pre-punched so that the desired length can be cut off simply and cleanly.


> Available with or without adhesive in various lengths and thicknesses

PRODUCT FEATURES:

- > PE-LD foam
- > Supplied as lengths
- > Water absorption < 1 vol.% after 40 days
- > Recyclable

APPLICATIONS:

- > Cushioning
- > Spacing
- Fixation





For more informations please contact the subsidiary company of your country.


NOMAPACK® Pad




COLOUR	Standard blue
LENGTH	1.150 mm ±20 mm
PACKAGING	Pieces in boxes
BOXES ON PALLET	3
FEATURES	 With permanent or removable adhesive Multiple applications

Multiple applications







Туре	А	В	С	Packaging unit Packaging unit*		Item Code
	mm	mm	mm	pcs	m	
50 x 10 HMR	50 ±3	10 ±2	50 ±8**	16.100	805	3002213
50 x 20 HMR	50 ±3	20 ±2	50 ±8**	10.350	518	3002215
50 x 50 HMR	50 ±3	50 ±3	50 ±8	4.025	201	3002232
65 x 25 HMR	65 ±3	25 ±2	64 ±8	4.950	317	3002219
100 x 25 HMR	100 ±3	25 ±2	96 ±8	2.160	207	3002220
100 x 50 HMR	100 ±3	50 ±3	96 ±8	1.176	113	3011417

HMR = removable adhesive (white Release)



m³/ 🖅 = 0,68

行 1190 * 790 * 700 mm

Туре	А	В	С	Packaging unit Packaging unit*		Item Code
	mm	mm	mm	pcs	m	
50 x 10 HMP	50 ±3	10 ±2	50 ±8**	16.100	805	3002214
50 x 20 HMP	50 ±3	20 ±2	50 ±8**	10.350	518	3002216
50 x 50 HMP	50 ±3	50 ±3	50 ±8	4.025	201	3002235
65 x 25 HMP	65 ±3	25 ±2	64 ±8	4.950	317	3002223
100 x 25 HMP	100 ±3	25 ±2	96 ±8	2.160	207	3002224
100 x 50 HMP	100 ±3	50 ±3	96 ±8	1.176	113	3011418

HMP = permanent adhesive (transparent Release)

- * values are rounded up or down
- ** first and last piece might be out of tolerance (1 piece = $A \times B \times C$)

To ensure optimum adhesion, a uniform push down of NMC Pads on a dry and dust free surface is recommended. In addition, the manufacturer recommends a storage and treatment temperature between +10°C and +40°C.


We recommend the adequate tests be made in your laboratory, plant or otherwise to determine if this product meets all your specific requirements. The utilization of the goods shall thus be at the purchaser's own risk.

The seller should refuse any responsibility regarding his intervention for direct and/or indirect damage potentially arising from this particular use. Only in case of product default, the seller shall not be liable for damages in excess of the purchase price of the product.

NOMAPACK® Pad Halfmoon



COLOUR	Standard blue
length	1.000 mm ±20 mm
PACKAGING	Pieces in boxes
BOXES ON PALLET	8
FEATURES	With permanent or removable adhesive





	Туре	А	В	Packaging unit Packaging unit		Item Code
		mm	mm	pcs	m	
7	40 D	42 ±1	50	2.000	100	3002225
$m^3/=0,25$	50 D	51 ±2	50	1.200	60	3002229
1020 * 600 * 400 mm	60 D	58 ±2	50	1.000	50	3002236

D = removable adhesive (white Release)


	Туре	А	B Packaging unit Packaging unit		Item Code	
		mm	mm	pcs	m	
m³/ ∰ = 0,25 ₩ 1020 * 600 * 400 mm	40 P	42 ±1	50	2.000	100	3002228
	50 P	51 ±2	50	1.200	60	3002233
	60 P	58 ±2	50	1.000	50	3002237

P = permanent adhesive (yellow Release)

NOMAPACK[®] 25 mm



COLOUR	Standard blue
length	1.000 mm ±20 mm
PACKAGING	Pieces in boxes
BOXES ON PALLET	8
FEATURES	With permanent or removable adhesive





	Туре	А	В	С	Packaging unit	Packaging unit	Item Code
_		mm	mm	mm	pcs	m	
m³/ 🚰 = 0,25	25/1m D 50mm	55 ±4	41 ±2	25 ±2	3.200	160	3002217
行 1020 * 590 * 390 mm	25/1m P 50mm	55 ±4	41±2	25 ±2	3.200	160	3002222

D = removable adhesive (white Release)

P = permanent adhesive (yellow Release)



NMC reserves the right to update the product line or its technical features to the state-of-the-art technology anytime and without previous announcement. All given information is to the best of our knowledge. If you have any questions concerning technical details please contact the NMC information service. Any partial reproduction or reprint shall require our explicit approval. 11/2019 NMC sa/2019 responsible publisher: NMC sa, Gert-Noël-Strasse, B - 4731 Eynatten