

NOMA[®] PROTECT

—
WARNING
PROFILES

NEW
SHAPES

nmc

SOLUTIONS
FOR INDUSTRIES



SHOCK
ABSORPTION
REDEFINED

NOMA[®] PROTECT WARNING PROFILES

NOMA[®] PROTECT WARNING PROFILES effectively prevent dangers thanks to their striking signal colour and provide reliable impact protection through their flexibility. The high-performance adhesive used, keeps the profile in place even under difficult conditions.

PRODUCT FEATURES:

- › Impact protection profiles with high absorbing effect
- › Extremely flexible
- › Permanent adhesive
- › Very good signalisation effect
- › Easy to apply to almost all surfaces (free from dust and grease)
- › Silicone-free
- › Temperature resistant
- › Fire performance: Euroclass E (EN 13501-1)
- › Available in lengths of 1 m or on request in 2 m lengths

NOMA® PROTECT




**TYPE
R30**

Item Code:
3044629

Packaging unit:
6 m




25
1°
Ø 30



**TYPE
A**

Item Code:
3044628

Packaging unit:
6 m



27.7
40
90°

Warning profiles




A photograph of a yellow warning profile with a black stripe, shown in a perspective view. The profile is V-shaped and has a smooth, rounded top edge.




A technical drawing of the Type E profile showing its cross-section. The top width is 31.7, the height is 22, and the bottom width is 19. The top edge has a radius of R4, and the bottom angle is 88°.

**TYPE
E**

Item Code: 3044630 Packaging unit: 12 m



A photograph of a yellow warning profile with a black stripe, shown in a perspective view. The profile is V-shaped and has a smooth, rounded top edge.




A technical drawing of the Type H profile showing its cross-section. The top width is 54, the height is 40.7, and the bottom width is 19. The top edge has a radius of R4, and the bottom angle is 88°.


**TYPE
H**

Item Code: 3044729 Packaging unit: 6 m

NOMA® PROTECT



Warning profiles



NMC sa

Gert-Noël-Strasse · B-4731 Eynatten

+32 87 85 85 00 · +32 87 85 85 11

info@nmc.eu



www.nmc-nomafoam.com