

NOMAPACK® C

THE CUSTOMER-SPECIFIC PACKAGING PROFIL

NOMAPACK® C protects corners and edges reliably. The BTH-profile has been specially designed to protect bath ceramics and offers customized solutions for many different applications.

NOMAPACK® C is additionally suitable for use as a spacer for industrial storage.

PRODUCT FEATURES:

- PE-LD foam
- Supplied as lengths
- Water absorption < 1 vol.% after 40 days</p>
- Recyclable

APPLICATIONS:

- Bathroom ceramics
- Distance holder to protect high-polished and sensitive surfaces
- \rightarrow Total protection for long and narrow goods



12/2023 © NMC sa, 2023 · Resp. Publisher: NMC sa · Gert-Noël-Strasse · B-4731 Eynatten

NOMAPACK® C 25X10-10

The Flexible all-round protection for long and narrow items.

COLOUR

LENGTH

Standard blue


2.000~mm $\pm 30~\text{mm}$

PACKAGING

BOXES ON PALLET

Lengths in boxes





Type	Α	В	С	Packaging unit	Item code	
	mm	mm	mm	m		
25 x 10 - 10	43 ±1	30 ±2	10 ±1	312	3002197	
~~		~~				





2040 * 590 * 390 mm



NOMAPACK® C RECTANGULAR

A small spacer for separating sensitive surfaces.

COLOUR

LENGTH


Standard blue

 $2.000 \text{ mm} \pm 30 \text{ mm}$

PACKAGING


BOXES ON PALLET

Lengths in boxes




	Туре	Α	В	Packaging unit	Item code	
		m m	mm	m		
%	50 x 50	50 ±3	50 ±3	154	3002202	
00	100 x 50	98 ±3	50 ±3	80	3002195	













NOMAPACK® C BTH

The total protection for sensitive edges.

COLOUR LENGTH Standard blue

PACKAGING BOXES ON PALLET

 $2.000 \text{ mm} \pm 30 \text{ mm}$

Lengths in boxes

Туре	Α	В	С	D	Е	Packaging unit	Item code
	mm	mm	mm	m m	mm	m	
ВТН	34 ±1	23 ±2	57 ±3	74 ±4	5,5 ±1	120	3002205
m³/== 0,50 = 2040 * 590 * 390 mm							



