

NOMA PACK®

NOMAPACK® ○

THE ALL-ROUND PROTECTION

NOMAPACK® ○ offers an extensive selection of round profiles in various diameters and wall thicknesses, which have been specially developed for the protection of round bodies or elongated items.

- › Adaptable to most round bodies
- › Special and total protection for sensitive items

PRODUCT FEATURES:

- › PE-LD foam
- › Density from 20 kg/m³ to 35 kg/m³
- › Supplied as lengths
- › Water absorption < 1 – vol.% after 40 days
- › Recyclable

APPLICATIONS:

- › Pieces of furniture
- › Bicycle frames
- › Exercise machines

NOMAPACK® O UNSLIT 5 mm

The standard profile for round bodies. Other dimensions are available on request.

COLOUR

Grey

LENGTH

2.000 mm ±30 mm

PACKAGING

Lengths in boxes


BOXES ON PALLET

8



Type	A mm	B mm	Packaging unit m	Item code
15 - 5	16 +3	5 ±1	240	3008220
18 - 5	19 +3	5 ±1	200	3001035
22 - 5	23 +3	5 ±1	160	3001036
28 - 5	29 +3	5 ±1	120	3001037
35 - 5	36 +3	5 ±1	80	3001038

m³ /  = 0,24

 2040 * 390 * 290 mm





NOMAPACK® O SLIT 9 mm

The profile that can be immediately clipped upon the object to protect.

COLOUR	LENGTH
Grey	2.000 mm ±30 mm
PACKAGING	BOXES ON PALLET
Lengths in boxes	4

Type	A mm	B mm	Packaging unit m	Item code
∞ 15 - 9	16 +3	9 ±1,5	380	3002517
∞ 18 - 9	19 +3	9 ±1,5	330	3002321
∞ 22 - 9	23 +3	9 ±1,5	250	3002322
∞ 28 - 9	29 +3	9 ±1,5	190	3002324
∞ 35 - 9	36 +3	9 ±1,5	150	3002516
∞ 42 - 9	44 +4	9 ±1,5	110	3002419

m³/ = 0,50 2040 * 590 * 390 mm



NMC reserves the right to update the product line or its technical features to the state-of-the-art technology anytime and without previous announcement. All given information is to the best of our knowledge. If you have any questions concerning technical details please contact the NMC information service. Any partial reproduction or reprint shall require our explicit approval.





NOMAPACK® O PRESLIT

The pre-slit profile for round bodies. Other dimensions are available on request.

COLOUR

Grey

LENGTH

2.000 mm \pm 30 mm


PACKAGING

Lengths in boxes

BOXES ON PALLET


4





Type	A mm	B mm	Packaging unit m	Item code
NOMAPACK® O PRESLIT 9 mm				
48 - 9	50 +4	9 ±1,5	90	3001047
54 - 9	56 +4	9 ±1,5	70	3001048
60 - 9	62 +4	9 ±1,5	66	3001049
76 - 9	78 +4	9 ±1,5	48	3001050
89 - 9	91 +4	9 ±1,5	40	3001051
NOMAPACK® O PRESLIT 13 mm				
15 - 13	16 +3	13 ±2	256	3001053
18 - 13	19 +3	13 ±2	220	3001054
22 - 13	23 +3	13 ±2	180	3001055
28 - 13	29 +3	13 ±2	140	3001056
35 - 13	36 +3	13 ±2	120	3001057
42 - 13	44 +4	13 ±2	90	3001058
48 - 13	50 +4	13 ±2	70	3001059
54 - 13	56 +4	13 ±2	66	3001060
60 - 13	62 +4	13 ±2	48	3001061
76 - 13	78 +4	13 ±2	40	3001062
89 - 13	91 +4	13 ±2	30	3001063
102 - 13	105 +5	13 ±2	24	3001064
114 - 13	117 +5	13 ±2	22	3001065


m³  = 0,50

 2040 * 590 * 390 mm



NMC reserves the right to update the product line or its technical features to the state-of-the-art technology anytime and without previous announcement. All given information is to the best of our knowledge. If you have any questions concerning technical details please contact the NMC information service. Any partial reproduction or reprint shall require our explicit approval.





Type	A mm	B mm	Packaging unit m	Item code
NOMAPACK® O PRESLIT 20 mm				
15 - 20	16 +3	20 ±2,5	134	3001067
18 - 20	19 +3	20 ±2,5	126	3001068
22 - 20	23 +3	20 ±2,5	108	3001069
28 - 20	29 +3	20 ±2,5	96	3001070
35 - 20	36 +3	20 ±2,5	70	3001071
42 - 20	44 +4	20 ±2,5	60	3001072
48 - 20	50 +4	20 ±2,5	48	3001073
54 - 20	56 +4	20 ±2,5	48	3001074
60 - 20	62 +4	20 ±2,5	40	3001075
76 - 20	78 +4	20 ±2,5	26	3001076
89 - 20	91 +4	20 ±2,5	24	3001077
102 - 20	105 +5	20 ±2,5	20	3047394
114 - 20	117 +5	20 ±2,5	14	3047396

m³  = 0,50

 2040 * 590 * 390 mm



NOMAPACK® O ROUND

The protective padding for storage and transport. It is also suitable for filling static and dynamic joints with varying degrees of expansions.

COLOUR

White

BOXES ON PALLET

2 for R 75 mm

& R 100 mm

PACKAGING

Lengths in boxes

4 for R 150 mm

Type	A mm	Packaging unit m	Item code
R 75 mm/2,2 m*	75 ±3	171,6	3004076
R 100 mm/2,2 m*	100 ±4	92,4	3004077
m ³ / = 1,10	2290 * 780 * 590 mm		
R 150 mm/1,85 m**	153 ±4	14,8	3012186
m ³ / = 0,50	2040 * 590 * 390 mm		

NOMAPACK® O Round R 150 mm in 2,75 m length (Item code 3003708) is only available with a minimum order quantity of 5.632 m.





NOMAPACK® O ROUND CUT CORNER

The easy to fix protection for corners.

COLOUR

White

BOXES ON PALLET

4

PACKAGING

Pieces in boxes

Type	A mm	B mm	Packaging unit pcs	Item code
100 - 10	100 ±3	10	1.900	3002519
100 - 15	100 ±3	15	1.500	3002518
100 - 20	100 ±3	20	1.100	3003593
75 - 10	75 ±3	10	3.900	3003592
75 - 15	75 ±3	15	2.750	3002520
75 - 20	75 ±3	20	2.000	3002160

m³ /  = 0,48

 1200 * 800 * 500 mm



NMC reserves the right to update the product line or its technical features to the state-of-the-art technology anytime and without previous announcement. All given information is to the best of our knowledge. If you have any questions concerning technical details please contact the NMC information service. Any partial reproduction or reprint shall require our explicit approval.

