

NOMAPACK® O

NOMAPACK® O offers an extensive selection of round profiles in various diameters and wall thicknesses, which have been specially developed for the protection of round bodies or elongated items.

- » Adaptable to most round bodies
- » Special and total protection for sensitive items

PRODUCT FEATURES:

- » PE-LD foam
- » Density from 20 kg/m³ to 35 kg/m³
- » Supplied as lengths
- » Water absorption < 1 – vol.% after 40 days
- » Recyclable

APPLICATIONS:

- » Pieces of furniture
- » Bicycle frames
- » Exercise machines




**THE
ALL-ROUND
PROTECTION**

ENSURE YOUR **VALUABLE GOODS** ARRIVE IN **PERFECT CONDITION**

nmc

NOMAPACK® O UNSLIT 5 mm

The standard profile for round bodies. Other dimensions are available on request.



COLOUR
Grey


LENGTH
2.000 ±30 mm

PACKAGING
Lengths in boxes

Type	A mm	B mm	Packaging unit m	Item code
∞ 15 - 5	16 +3	5 ±1	240	3054510
∞ 18 - 5	19 +3	5 ±1	200	3054511
∞ 22 - 5	23 +3	5 ±1	160	3054512
∞ 28 - 5	29 +3	5 ±1	120	3054513
∞ 35 - 5	36 +3	5 ±1	80	3054514
m³/📦 = 0,24				
			📦 2040 * 390 * 290 mm	
			8 📦 on pallet	

NOMAPACK® O SLIT 9 mm

The profile that can be immediately clipped upon the object to protect.



COLOUR
Grey

LENGTH
2.000 ±30 mm

PACKAGING
Lengths in boxes

Type	A mm	B mm	Packaging unit m	Item code
∞ 15 - 9	16 +3	9 ±1,5	380	3002517
∞ 18 - 9	19 +3	9 ±1,5	330	3002321
∞ 22 - 9	23 +3	9 ±1,5	250	3002322
∞ 28 - 9	29 +3	9 ±1,5	190	3002324
∞ 35 - 9	36 +3	9 ±1,5	150	3002516
∞ 42 - 9	44 +4	9 ±1,5	110	3002419
∞ 48 - 9	50 +4	9 ±1,5	90	3054515
∞ 54 - 9	56 +4	9 ±1,5	70	3054516
∞ 60 - 9	62 +4	9 ±1,5	66	3054518
m³/📦 = 0,50				
			📦 2040 * 590 * 390 mm	
			4 📦 on pallet	

NOMAPACK® O PRESLIT

The pre-slit profile for round bodies.
Other dimensions are available on request.



COLOUR
Grey

LENGTH
2.000 ±30 mm


PACKAGING
Lengths in boxes



Type	A mm	B mm	Packaging unit m	Item code
NOMAPACK® O PRESLIT 13 mm				
∞ 15 - 13	16 +3	13 ±2	256	3054519
∞ 18 - 13	19 +3	13 ±2	220	3054521
∞ 22 - 13	23 +3	13 ±2	180	3054523
∞ 28 - 13	29 +3	13 ±2	140	3054525
∞ 35 - 13	36 +3	13 ±2	120	3054528
42 - 13	44 +4	13 ±2	90	3001058
48 - 13	50 +4	13 ±2	70	3001059
54 - 13	56 +4	13 ±2	66	3001060
60 - 13	62 +4	13 ±2	48	3001061
76 - 13	78 +4	13 ±2	40	3001062
89 - 13	91 +4	13 ±2	30	3001063
102 - 13	105 +5	13 ±2	24	3001064
114 - 13	117 +5	13 ±2	22	3001065
NOMAPACK® O PRESLIT 20 mm				
15 - 20	16 +3	20 ±2,5	134	3001067
18 - 20	19 +3	20 ±2,5	126	3001068
22 - 20	23 +3	20 ±2,5	108	3001069
28 - 20	29 +3	20 ±2,5	96	3001070
35 - 20	36 +3	20 ±2,5	70	3001071
42 - 20	44 +4	20 ±2,5	60	3001072
48 - 20	50 +4	20 ±2,5	48	3001073
54 - 20	56 +4	20 ±2,5	48	3001074
60 - 20	62 +4	20 ±2,5	40	3001075
76 - 20	78 +4	20 ±2,5	26	3001076
89 - 20	91 +4	20 ±2,5	24	3001077
102 - 20	105 +5	20 ±2,5	20	3047394
114 - 20	117 +5	20 ±2,5	14	3047396
m³/ = 0,50 2040 * 590 * 390 mm 4 on pallet				

NOMAPACK® O ROUND

The protective padding for storage and transport. It is also suitable for filling static and dynamic joints with varying degrees of expansions.



COLOUR
White

PACKAGING
Lengths in boxes





Type	A mm	Packaging unit m	Item code
R 75 mm/2,2 m*	75 ±3	171,6	3004076
R 100 mm/2,2 m*	100 ±4	92,4	3004077
m³/ = 1,10	2290 * 780 * 590 mm	2 on pallet	
R 150 mm/1,85 m**	153 ±4	14,8	3012186
m³/ = 0,50	2040 * 590 * 390 mm	4 on pallet	

NOMAPACK® O Round R 150 mm in 2,75 m length (Item code 3003708) is only available with a minimum order quantity of 5.632 m.

NOMAPACK® O ROUND CUT CORNER

The easy to fix protection for corners.



COLOUR
White

PACKAGING
Pieces in boxes



Type	A mm	B mm	Packaging unit pcs	Item code
100 - 10	100 ±3	10	1.900	3002519
100 - 15	100 ±3	15	1.500	3002518
100 - 20	100 ±3	20	1.100	3003593
75 - 10	75 ±3	10	3.900	3003592
75 - 15	75 ±3	15	2.750	3002520
75 - 20	75 ±3	20	2.000	3002160
m³/ = 0,48	1200 * 800 * 500 mm	4 on pallet		



NMC reserves the right to update the product line or its technical features to the state-of-the-art technology anytime and without previous announcement. All given information is to the best of our knowledge. If you have any questions concerning technical details please contact the NMC information service. Any partial reproduction or reprint shall require our explicit approval.

11/2025 · © NMC sa, 2025 · Resp. Publisher: NMC sa · Gert-Noël-Strasse · B-4731 Eynatten