

NOMA PACK®

PRODUCT OVERVIEW



SOLUTIONS
FOR INDUSTRIES

NOMAPACK®

by
























www.nmc-nomafoam.com

INDEX

NOMAPACK®		7
Applications		8
Functions		9
Sustainability		10
NOMAPACK® U		12
NOMAPACK® U TULIP	⤴	13
NOMAPACK® U MULTISHAPE	⤴	14
NOMAPACK® U TULIP CORNER	⤴	15
NOMAPACK® U TULIP STRETCH	└┘	16
NOMAPACK® U TULIP STRETCH CORNER	└┘	16
NOMAPACK® U TULIP LONG LEGS	U	17
NOMAPACK® U TULIP 45-70	U	18
NOMAPACK® U 100-125/120	└┘	18
NOMAPACK® U CLASSIC	⤴	19
NOMAPACK® U 0-3	⊖	20
NOMAPACK® U 0-6	⊖	20
NOMAPACK® U 6-12	⊖	21
NOMAPACK® U 8-12	U	21
NOMAPACK® U 12-18	U	22
NOMAPACK® U EXTRA PADDING	⤴	22
NOMAPACK® U HD	U	23
NOMAPACK® U FEP	○	23
NOMAPACK® WS		24
NOMAPACK® WS 33 x 26 BC/CBC	⊖	25
NOMAPACK® WS 33 x 26 CYC	⊖	25
NOMAPACK® WS 33 x 26 EDGE PAD YC	⊖	26
NOMAPACK® WS 33 x 26 EDGE PAD CYC	⊖	26
NOMAPACK® WS CORNER 70°	⊖	27
NOMAPACK® WS CORNER 90°	⊖	27
NOMAPACK® WS 35 x 26	⊖	28
NOMAPACK® WS 45 x 26	⊖	28
NOMAPACK® WS 40 x 30	⊖	29
NOMAPACK® WS 60 x 30	⊖	29
NOMAPACK® L		30
NOMAPACK® L	└┘	31
NOMAPACK® L HMR	└┘	31
NOMAPACK® L 135 x 67-10/70 HMP	└┘	32
NOMAPACK® L 65 x 65-10	└┘	33

INDEX

NOMAPACK® PAD		34
NOMAPACK® PAD		35
NOMAPACK® PAD HALFMOON		37
NOMAPACK® 25 mm		38
NOMAPACK® GLASS PAD		39
NOMAPACK® O		41
NOMAPACK® O UNSLIT 5 mm		42
NOMAPACK® O SLIT 9 mm		43
NOMAPACK® O PRESLIT		44
NOMAPACK® O PRESLIT 9 mm		44
NOMAPACK® O PRESLIT 13 mm		45
NOMAPACK® O PRESLIT 20 mm		45
NOMAPACK® O PRESLIT 25 mm		46
NOMAPACK® O ROUND		47
NOMAPACK® O ROUND CUT CORNER		48
NOMAPACK® SYSTEM		49
NOMAPACK® SYSTEM		50
NOMAPACK® SYSTEM HD		50
NOMAPACK® C		51
NOMAPACK® C 25 x 10-10		52
NOMAPACK® C Rectangular		52
NOMAPACK® C BTH		53
NOMA® PROTECT		54
NOMA® PROTECT TUFF PAD		56
NOMA® PROTECT		
TEMPORARY PROTECTION		58
NOMA® PROTECT WARNING PROFILES		60
NOMAFOAM®		63
PROCESSING		64
NOMATEC®		65
CONVERTING		65
CONTACT		66



ENSURE YOUR
**VALUABLE
GOODS**
ARRIVE IN
**PERFECT
CONDITION**

NOMAPACK®

PROTECTIVE SOLUTION AND SHOCK ABSORPTION

NOMAPACK® offers a wide range of standard products along with many special shapes, and special customised solutions can also be supplied to customers at short notice. NOMAPACK® is indestructible and offers reliable protection for your product against damp, temperature fluctuations and mechanical factors.

NOMAPACK® profiles fits any shape of product, with no need for fixing aids, and they are as light as a feather, which means they save on both space and transport costs. NOMAPACK® is made from environmentally responsible materials, repels dirt and is washable, making it very hygienic. NOMAPACK® contains recycled materials and is also recyclable, meaning it makes a valuable contribution in terms of environmental protection and sustainability.

APPLICATIONS

HIGH PERFORMANCE FOAM MATERIALS ARE USED IN ALL SECTORS

NMC foam products provide reliable protection and can be removed completely afterwards. In addition, our solutions can be integrated easily in existing assembly line productions. Therefore: maximum protection and guaranteed product quality from manufacture to delivery to the end customer.



FURNISHING INDUSTRY

Living comfort according to your needs



TRANSPORT

For an all-round safe transport and comfortable driving experience



CIVIL ENGINEERING

Omnipresent in construction and underground engineering



OFFSHORE INDUSTRY

Safety for people and sea



WINDOW INDUSTRY

Energy efficient windows secured at the construction site



SPORT & LEISURE

Fun and safe activities



PERSONAL PROTECTION

Protected in all circumstances



CONSUMER ELECTRONICS


Safe transport of valuable components



MEDICAL ENGINEERING

Comfort and safety in the medical branch

FUNCTIONS



INSULATING

Insulation for all purpose



PROTECTING

For transport, processing and storage



SOUND PROOFING

Noise prevention and noise protection



UPHOLSTERY

Comfort thanks to good adaptability



SEALING

Sealing joints



FLOATING

Usable on all waters



LIGHTWEIGHT

A light permanent structure

**HIGH
PERFORMANCE
FOAM MATERIALS
WITH
MULTI-FACETED
PROPERTIES**

WE TAKE RESPONSIBILITY

SUSTAINABILITY AT NMC

Economic, socially responsible and environmentally conscious behavior go hand in hand here at NMC. These are the three principles that form what is called the „three-pillar model“ of sustainable development. As a family business, we want to ensure that we can handle whatever the future throws at us, and we are relying on tried and tested values and forward-looking thinking in order to maintain our strong economic position on the road ahead.

We are equally mindful of our social responsibility vis-à-vis our customers, our staff and our shareholders. With future generations uppermost in our thoughts, our focus is very much on the needs and wishes of all our stakeholders. We are helping towards securing sustainable mitigation of climate change and environmental protection at several levels simultaneously.

Our record shows that we have consistently striven to improve our products: as long ago as 1988, we first switched to CFC-free production and then shifted our processes away from HCFCs. This made us pioneers in our industry.

NMC'S COMMITMENT TO CLIMATE PROTECTION

- > Energy from our own photovoltaic system and 100% green energy
- > Nearly 100% recycling of production waste
- > Closed water circuits minimize consumption
- > ISO 14001 certification – the international standard for environmental management systems
- > Participation in Operation CleanSweep®





PROFILES THAT CAN PROTECT PRODUCTS AS WELL AS THE CLIMATE

If you want reliable protection against transport damage for your products, you cannot do without solutions made of plastic. And thanks to us, you don't have to. At NMC, we manufacture foam profiles in such a way that they are superior to solutions made of cardboard and other materials, not only technically but ecologically as well.

Furthermore, we manufacture strictly in accordance with the closed-loop principle. Almost 100% of internal plastic waste is recycled back into production.

Our NOMAPACK® profiles are completely recyclable, and in addition, labelled products already consist of 30% or more recycled material. These therefore already meet the European standards that will come into force from 2025.

This makes NMC the industry leader in sustainability.

In order to be as transparent as possible, boxes containing certified products will bear the following Polycert seal. This way, everyone can see at first glance that climate protection is not just an empty word.





NOMAPACK® U

THE EDGE PROTECTOR FOR EVERY APPLICATION

PROTECTED AND UNIVERSALLY USABLE

The NOMAPACK® U range consists of effective protection profiles for edges and curves of all types. Thanks to the various dimensions and thicknesses and thanks to the possibility to develop bespoke profiles, you'll always find suitable protection for your product with NOMAPACK® U.

- › Edge protection from 2 to 160 mm
- › Easy fitting Multishape version
- › Patented design

PRODUCT FEATURES:

- › PE-LD foam
- › Supplied as lengths or coils
- › Water absorption < 1 – vol.% after 40 days
- › Recyclable
- › The tolerance of the length of the coils is up to a maximum of $\pm 2\%$

APPLICATIONS:


- › Tables and worktops
- › Shelves, storage units and other furniture parts
- › Mirrors, glass plates, ceramic
- › Works of art, framed pictures, etc.




NOMAPACK® U TULIP

The „original“ – proven and reliable profile.

COLOUR	LENGTH
Standard blue	2.000 mm ±30 mm
PACKAGING	BOXES/COILS
Lengths in boxes or on coils	ON PALLET
	4



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
∞ 5-15	16 ±2	7 ±1	3 ±3	29 ±2	560	3002243
∞ 15-25	24 ±2	8 ±1	10 ±3	35 ±3	320	3002250
∞ 25-35	35 ±2	10 ±1	20 ±4	40 ±3	240	3002257
∞ 35-45	41 ±2	12 ±2	25 ±5	46 ±3	180	3002261
∞ 45-60	57 ±2	14 ±2	30 ±5	60 ±2	100	3002267
∞ 60-80	71 ±2	15 ±2	45 ±5	66 ±2	80	3002279
∞ 80-100	92 ±3	18 ±2	60 ±10	68 ±3	72	3002288
∞ 100-120	120 ±4	21 ±2	98 ±10	80 ±3	44	3002289
m ³ / = 0,50		2040 * 590 * 390 mm				
∞ 5-15	16 ±2	7 ±1	3 ±3	29 ±2	500	3002241
∞ 15-25	24 ±2	8 ±1	10 ±3	35 ±3	220	3002248
m ³ / = 0,70		1200 * 460 mm				



NOMAPACK® U MULTISHAPE

The high flexibility profile which adapts to every radius and angle thanks to the V-cut. The profile is supplied on coil for self-lengthening.

COLOUR
Standard blue


COILS ON PALLET
4

PACKAGING
On coils

Type	A mm	B mm	C mm	D mm	E mm	Packaging unit m	Item code
∞ 5-15 MS	16 ±2	7 ±1	3 ±3	29 ±2	150 ±10	480	3002242
∞ 15-25 MS	24 ±2	8 ±1	10 ±3	35 ±3	170 ±10	250	3002249
∞ 25-35 MS	35 ±2	10 ±1	20 ±4	40 ±3	170 ±10	150	3002255
∞ 35-45 MS	41 ±2	12 ±2	25 ±5	46 ±3	170 ±10	140	3002260

$m^3 / \text{coil} = 0,70$ $\text{coil} = 1200 * 460 \text{ mm}$





NOMAPACK® U TULIP CORNER

The easy to fix corner protection, available in various cushioning thicknesses.

COLOUR

Standard blue

BOXES ON PALLET


8 to NOMAPACK® U Tulip Corner 35-45

PACKAGING

Pieces in boxes

3 from NOMAPACK® U Tulip Corner 45-60

Type	A mm	B mm	C mm	D mm	E=F mm	Packaging unit pcs	Item code
∞ 5-15	16 ±2	7 ±1	3 ±3	29 ±2	100 ±10	900	3002163
∞ 15-25	24 ±2	8 ±1	10 ±3	35 ±3	100 ±10	600	3002166
∞ 25-35	35 ±2	10 ±1	20 ±4	41 ±3	100 ±10	450	3002168
∞ 35-45	41 ±2	12 ±2	25 ±5	46 ±3	100 ±10	300	3002170
m ³ / = 0,27		785 * 585 * 585 mm					
∞ 45-60	57 ±2	14 ±2	30 ±5	60 ±2	100 ±10	500	3002173
∞ 60-80	71 ±2	15 ±2	45 ±5	66 ±2	100 ±10	400	3002175
∞ 80-100	92 ±3	18 ±2	60 ±10	68 ±3	100 ±10	280	3002178
m ³ / = 0,66		1190 * 790 * 700 mm					





NOMAPACK® U TULIP STRETCH

The „original“ – proven profile with patented stretch system for widths up to 160 mm.

COLOUR Standard blue **LENGTH** 2.000 mm ±30 mm

PACKAGING Lengths in boxes **BOXES ON PALLET** 4



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
∞ 100-120 Stretch	120-160	21 ±2	100-140	80 ±3	44	3002290

m³/☐ = 0,50

☐ 2040 * 590 * 390 mm

NOMAPACK® U TULIP STRETCH CORNER

COLOUR Standard blue

PACKAGING Pieces in boxes

BOXES ON PALLET 3



Type	A mm	B mm	C mm	D mm	E = F mm	Packaging unit pcs	Item code
∞ 100-120 Stretch	120-160	21 ±2	100-140	80 ±3	200 ±10	120	3002179

m³/☐ = 0,66

☐ 1190 * 790 * 700 mm





NOMAPACK® U TULIP LONG LEGS

The profile with extended legs for tapered corners and angles.

COLOUR	LENGTH
Standard blue	2.000 mm ±30 mm
PACKAGING	BOXES ON PALLET
Lengths in boxes	4

Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
∞ 0 - 30/70	29 ±2	14 ±1	0	94 ±6	100	3002262
∞ 30 - 40/70	38 ±2	14 ±1	26 ±10	84 ±5	100	3002266

m³/☐ = 0,50

☐ 2040 * 590 * 390 mm

NOMAPACK®

NOMAPACK® U TULIP 45-70

The profile with longer legs for greater protection.

COLOUR

Standard blue

LENGTH

2.000 mm ±30 mm

PACKAGING


Lengths in boxes

BOXES ON PALLET

4



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
∞ 45 - 70	70 ±2	18 ±2	30 ±10	131 ±5	44	3002278
m ³ /☐ = 0,50		☐ 2040 * 590 * 390 mm				



NOMAPACK® U 100-125/120

The special edge protection for large products.

COLOUR

Standard blue

LENGTH

2.000 mm ±30 mm

PACKAGING

Lengths in boxes

BOXES ON PALLET

4



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
100 - 125/120	124 ±4	19 ±2	90 ±20	123 ±3	32	3016555
m ³ /☐ = 0,50		☐ 2040 * 590 * 390 mm				

NOMAPACK® U CLASSIC

The „classic“ profile.

COLOUR

Standard blue

LENGTH


2.000 mm \pm 30 mm




PACKAGING



Lengths in boxes

BOXES ON PALLET

4




Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
10 - 20	17 \pm 2	10,5 \pm 1	5 \pm 3	30 \pm 5	420	3002246
 20 - 35	31 \pm 2	12 \pm 1	12 \pm 4	45 \pm 5	210	3002259
 30 - 45	41 \pm 2	15 \pm 1	20 \pm 5	48 \pm 5	160	3002275
 45 - 65	60 \pm 2	15 \pm 1	30 \pm 8	57 \pm 5	92	3002277
60 - 85	80 \pm 3	15 \pm 1	40 \pm 10	58 \pm 5	90	3002281

 m³ = 0,50
  2040 * 590 * 390 mm



NOMAPACK®



NOMAPACK® U 0-3

Special edge-protection for narrow products up to 3 mm. Prevents bends against sharp edges. The profile is supplied on coil for self-lengthening.



COLOUR

Grey

PACKAGING

On coils

COILS ON PALLET

4



Type	A mm	B mm	D mm	Packaging unit m	Item code
∞ 0 - 3	20 ±2	11 ±1	32 ±2	590	3002253
m ³ / = 0,70		1200 * 460 mm			

NOMAPACK® U 0-6

Thanks to its high cushioning thickness, this is the ideal profile for sensitive goods.

COLOUR


Grey

PACKAGING

Lengths in boxes or on coils

BOXES/COILS ON PALLET

4



Type	A mm	B mm	D mm	E mm	Packaging unit m	Item code
∞ 0 - 6/2 m*	28,5 ±1	14,5 ±1	37 ±1	13 ±1	320	3002269
m ³ / = 0,50		2040 * 590 * 390 mm			*2.000 mm ±30mm	
∞ 0 - 6	28,5 ±1	14,5 ±1	37 ±1	13 ±1	320	3002270
m ³ / = 0,70		1200 * 460 mm				



NOMAPACK® U 6-12

The Profile for products with a thickness from 6 to 12 mm. Especially suitable for products with bead or seals. It is also available with an inside PE reinforcement. The profile is supplied on coil for self-lengthening.



- COLOUR**
Standard blue
- PACKAGING**
On coils
- COILS ON PALLET**
4

Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
∞ 6 - 12	33 ±2	15 ±1	40 ±2	12 ±1	240	3002271
∞ 6 - 12 E-P*	33 ±2	15 ±1	40 ±2	12 ±1	240	3002272
∞ 6 - 12 CBC**	33 ±2	15 ±1	40 ±2	12 ±1	240	3002273

m³/∞ = 0,70 ∞ 1200 * 460 mm

NOMAPACK® U 8-12

A small profile with longer legs, ideal for ground glass edges. The profile is supplied on coil for self-lengthening.

- COLOUR**
Standard blue
- PACKAGING**
On coils
- COILS ON PALLET**
4



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
∞ 8 - 12	11,5 ±1	7 ±1	0 +3	30 ±5	550	3002244

m³/∞ = 0,70 ∞ 1200 * 460 mm

*E-P = Edge-Pad = V-Cut and perforations all 160 mm (±1.500 pcs/coil) **CBC= with inside reinforcement (coextrusion)



NOMAPACK® U 12-18

The profile for Sensitive edges with a thickness from 12 to 18 mm.

COLOUR
Standard blue

LENGTH
2.000 mm ±30 mm

PACKAGING
Lengths in boxes

BOXES ON PALLET
4



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
∞ 12 - 18	45 ±2	20 ±1	23 ±2	56 ±2	140	3002283
m ³ /☐ = 0,50		☐ 2040 * 590 * 390 mm				

NOMAPACK® U EXTRA PADDING


The profile with an optimal padding for heavy goods. Perfect for single or stacked goods protection.

COLOUR
Standard blue

LENGTH
2.000 mm ±30 mm

PACKAGING
Lengths in boxes

BOXES ON PALLET
4



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
∞ 15 - 25/80	20 ±1	30 ±2	7 ±5	83 ±3	90	3002294
∞ 30 - 38/60*	32 ±2	19 ±1,5	20 ±6	60 ±2	140	3002287
∞ 30 - 45/55	41 ±3	25 ±2	22 ±5	73 ±6	80	3002293
m ³ /☐ = 0,50		☐ 2040 * 590 * 390 mm				

*Colour: grey

NOMAPACK® U HD

The ideal profile for heavy objects that requires a high compressive strength.

COLOUR Standard blue **LENGTH** 2.000 mm ±30 mm

PACKAGING Lengths in boxes **BOXES ON PALLET** 4



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
∞ 20 - 30	31 ±3	18 ±1	28 ±3	48 ±2	180	3002282
∞ 35 - 50	45 ±2	18 ±1	24 ±3	50 ±2	140	3002286

m³/☐ = 0,50 ☐ 2040 * 590 * 390 mm



NOMAPACK® U FEP

The versatile protective profile with a particularly large internal diameter.

COLOUR Standard blue **LENGTH** 2.000 mm ±30 mm

PACKAGING Lengths in boxes **BOXES ON PALLET** 4



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
∞ FEP	65 ±5	9 ±1	5 ±5	65 ±5	120	3002245

m³/☐ = 0,50 ☐ 2040 * 590 * 390 mm



NOMAPACK® WS

BREAK-PROOF FROM A TO B

THE EDGE PROTECTOR FOR GLASS, SHEET METAL AND NARROW EDGES

NOMAPACK® WS is the innovative transport protector for windscreens and glass products. The additional inner hole reinforcement prevents sharp edges from piercing the profile and thus offers perfect protection for your product. An extensive range of tool accessories facilitate the processing of the NOMAPACK® WS profile.

- › Patented glass edge protection
- › Unique profiles, with inside reinforcement
- › Efficient protection against scratches and breaks

PRODUCT FEATURES:

- › PE-LD foam
- › Supplied as coils
- › Water absorption < 1 – vol.% after 40 days
- › Recyclable
- › The tolerance of the length of the coils is up to a maximum of $\pm 2\%$


APPLICATIONS:

- › Glass edges
- › Windscreens
- › Heavy and sharp goods

NOMAPACK® WS 33X26 BC/CBC



Specially designed profile for windscreens without a rubber lip and for thicknesses from 3 to 6 mm. Available with or without inside reinforcement. The profile is supplied on coil for self-lengthening.

- COLOUR
Standard blue
- PACKAGING
On coils
- COILS ON PALLET
4



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
33 x 26 BC	26 ±1	12 ±1	0-3	33 ±1	460	3002305
33 x 26 CBC*	26 ±1	12 ±1	0-3	33,5 ±1	460	3002306

m³/🌀 = 0,70 🌀 1200 * 460 mm



NOMAPACK® WS 33X26 CYC

Specially designed profile for windscreens without a rubber lip and for thicknesses from 3 to 6 mm. The profile is supplied on coil for self-lengthening.




- COLOUR
Yellow
- PACKAGING
On coils
- COILS ON PALLET
4

Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
33 x 26 CYC*	26 ±1	12 ±1	0-3	33 ±1	460	3002301

m³/🌀 = 0,70 🌀 1200 * 460 mm

*CBC/CYC = with inside reinforcement (coextrusion)



**NOMAPACK® WS
33X26 EDGE PAD YC**

The profile for glass, mirrors and sensitive metal parts. It efficiently protects fragile goods during transport. The profile is supplied on coil for self-lengthening.



- COLOUR**
Yellow
- PACKAGING**
On coils
- COILS ON PALLET**
4

Type	A mm	B mm	D mm	E mm	Packaging unit m	Item code
33 x 26 E-P* YC	25 ±1	13 ±1	33 ±1	160 ±7	460	3002300
m ³ / = 0,70		1200 * 460 mm				


**NOMAPACK® WS
33X26 EDGE PAD CYC**

The Pre-cut profile with patented inner reinforcement which provides effective protection for glass, mirrors and sensitive metal parts. The profile is supplied on coil for self-lengthening.

- COLOUR**
Yellow

- PACKAGING**
On coils

- COILS ON PALLET**
4



Type	A mm	B mm	C mm	D mm	E mm	Packaging unit m	Item code
33 x 26 E-P* CYC**	26 ±1	13 ±1	3	33 ±1	160 ±7	460	3002302
m ³ / = 0,70		1200 * 460 mm					


* E-P = Edge-Pad = V-Cut and perforations all 160 mm (±2.875 pcs/coil) ** CYC = with inside reinforcement (coextrusion)



NOMAPACK® WS CORNER 70° CY

The easy to fix corner with inside reinforcement. Other dimensions are available on request.

COLOUR	LENGTH
Yellow	50x50 mm ±5 mm
PACKAGING	BOXES ON PALLET
Pieces in boxes	8




Type	A mm	B mm	C mm	D mm	Packaging unit pcs	Item code
50 x 50 CY*	26 ±1	12 ±1	2,5	33 ±1	2.000	3008936
m ³ / = 0,17		600 * 400 * 700 mm				

NOMAPACK® WS CORNER 90° CB

The easy to fix corner with inside reinforcement.

COLOUR	LENGTH
Standard blue	100x100 mm ±5 mm
PACKAGING	BOXES ON PALLET
Pieces in boxes	8




Type	A mm	B mm	C mm	D mm	Packaging unit pcs	Item code
100 x 100 CB*	26 ±1	12 ±1	3	33,5 ±1	775	3038245
m ³ / = 0,26		785 * 585 * 585 mm				

*CB/CY = with inside reinforcement (coextrusion)

NOMAPACK® WS 35X26 BC/CBC


The „Universal“ transport profile with a specially developed inner-shape that adapts itself to all types of windscreens with or without a rubber lip. The profile is supplied on coil for self-lengthening.

- COLOUR
Standard blue
- PACKAGING
On coils
- COILS ON PALLET
4




Type	A mm	B mm	C mm	D mm	E mm	F mm	Packaging unit m	Item code
35 x 26 BC	26 ±1	12 ±1	3	35 ±2	12 +1	16 +1	350	3002310
35 x 26 CBC*	26 ±1	12 ±1	3	35 ±2	12 +1	16 +1	350	3002311

m³/ = 0,70 1200 * 460 mm



NOMAPACK® WS 45X26 CBC

The transport profile that adapts itself to all types of windscreens without a rubber lip. The profile is supplied on coil for self-lengthening.



- COLOUR
Standard blue
- PACKAGING
On coils
- COILS ON PALLET
4

Type	A mm	B mm	C mm	D mm	E mm	G mm	H mm	Packaging unit m	Item code
45 x 26 CBC*	26 ±1	10 ±1	3	46 ±2	11 ±1	22 ±1	10 ±1	290	3003842

m³/ = 0,70 1200 * 460 mm

*CBC = with inside reinforcement (coextrusion)


NOMAPACK® WS 40X30 CBC

The ideal profile for windscreens with a rubber lip on the inner side. The profile is supplied on coil for self-lengthening.


COLOUR
Dark blue

COILS ON PALLET
4

PACKAGING
On coils



Type	A mm	B mm	C mm	D mm	E mm	G mm	Packaging unit m	Item code
40 x 30 CBC*	34 ±2	21 ±1	6	42 ±2	18 ±1	8 ±1	270	3002312
m ³ /☺ = 0,70		☺ 1200 * 460 mm						



NOMAPACK® WS 60X30 CBC

The ideal profile for windscreens with a seal in the outside part of the glass panel. The profile is supplied on coil for self-lengthening.

COLOUR
Standard blue

COILS ON PALLET
4

PACKAGING
On coils



Type	A mm	B mm	C mm	D mm	E mm	H mm	Packaging unit m	Item code
60 x 30 CBC*	31 ±2	10 ±1	5,6	61 ±3	16 ±1	13,5 ±1	200	3002314
m ³ /☺ = 0,70		☺ 1200 * 460 mm						

*CBC = with inside reinforcement (coextrusion)

NOMAPACK® L

THE RELIABLE PROTECTION FOR CORNERS AND EDGES

NOMAPACK® L provides reliable protection for corners and edges made of glass, wood, plastic or metal.

- › Available in various lengths and thicknesses
- › With or without adhesive

PRODUCT FEATURES:

- › PE-LD foam
- › Supplied as lengths
- › Water absorption < 1 – vol.% after 40 days
- › Recyclable

APPLICATIONS:

- › Corners and edges
- › Narrow and scratch-sensitive goods
- › Can be used in shrinking tunnels



NOMAPACK® L

Fast, inexpensive and reliable protection.

COLOUR	LENGTH
Standard blue	2.000 mm ±30 mm
PACKAGING	BOXES ON PALLET
Lengths in boxes	4



Type	A mm	B mm	C mm	Packaging unit m	Item code
∞ 50 x 50 - 6	50 ±2	50 ±2	6 ±1	480	3002207
∞ 75 x 75 - 10	75 ±3	75 ±3	10 ±1	210	3002210

m³/ = 0,50

2040 * 590 * 390 mm

NOMAPACK® L HMR

The profile with residue-free removable adhesive (white release).

COLOUR	LENGTH
Standard blue	2.000 mm ±30 mm
PACKAGING	BOXES ON PALLET
Lengths in boxes	4



Type	A mm	B mm	C mm	Packaging unit m	Item code
∞ 50 x 50 - 6 HMR*	50 ±2	50 ±2	6 ±1	480	3002208
∞ 75 x 75 - 10 HMR*	75 ±3	75 ±3	10 ±1	210	3002211

m³/ = 0,50

2040 * 590 * 390 mm

We recommend the adequate tests be made in your laboratory, plant or otherwise to determine if this product meets all your specific requirements. The utilization of the goods shall thus be at the purchaser's own risk. The seller should refuse any responsibility regarding his intervention for direct and/or indirect damage potentially arising from this particular use. Only in case of product default, the seller shall not be liable for damages in excess of the purchase price of the product

* HMR = removable adhesive (white Release)



NOMAPACK® L
135X67-10/70 HMP

The easy to fix profile with permanent adhesive.

COLOUR

Standard blue

LENGTH

70 mm ±10 mm

PACKAGING

Pieces in boxes

BOXES ON PALLET

3

Type	A mm	B mm	C mm	D mm	E mm	F mm	Packaging unit pcs	m	Item code
L 135x67 HMP*	135 ±4	63 ±2	10 ±1	17 ±1,5	29	40	1200	84	3008999
m ³ / = 0,66		1190 * 790 * 700 mm							



*HMP = permanent adhesive



NOMAPACK® L 65X65-10

The easy to fix Rim Profile.

COLOUR
Standard blue

PACKAGING
Pieces in boxes

LENGTH
Welded ring

BOXES ON PALLET
8



Type	A mm	B mm	C mm	Packaging unit pcs	Item code
L 65x65-10*	65 ±5	65 ±5	10 ±2	60	3037217
m ³ / = 0,27		785 * 585 * 585 mm			

*other dimensions on request



NOMAPACK® PAD

TRANSPORT CUSHION WITH BIG IMPACT

NOMAPACK® PAD is a spacer available in various dimensions with removable or permanent glue. It is a spacer pad for separating sensitive goods or fixing them in place. The pads are pre-punched so that the desired length can be cut off simply and cleanly.


- › Available with or without adhesive in various lengths and thicknesses

PRODUCT FEATURES:

- › PE-LD foam
- › Supplied as lengths
- › Water absorption < 1 – vol.% after 40 days
- › Recyclable

APPLICATIONS:

- › Cushioning
- › Spacing
- › Fixation



NOMAPACK® PAD


The spacer profile with removable (HMR) or permanent (HMP) adhesive. It has a good compression set.

COLOUR	LENGTH
Standard blue	1.150 mm ±20mm
PACKAGING	BOXES ON PALLET
Pieces in boxes	3

Removable adhesive (white Release)

Type	A mm	B mm	C mm	Packaging unit pcs	Packaging unit* m	Item code
∞ 50 x 10 HMR	50 ±3	10 ±2	50 ±8**	16.100	805	3002213
∞ 50 x 20 HMR	50 ±3	20 ±2	50 ±8**	10.350	518	3002215
∞ 50 x 50 HMR	50 ±3	50 ±3	50 ±8	4.025	201	3002232
∞ 65 x 25 HMR	65 ±3	25 ±2	64 ±8	4.950	317	3002219
∞ 100 x 25 HMR	100 ±3	25 ±2	96 ±8	2.160	207	3002220
∞ 100 x 50 HMR	100 ±3	50 ±3	96 ±8	1.176	113	3011417

m³/ = 0,68

 1190 * 790 * 700mm



We recommend the adequate tests be made in your laboratory, plant or otherwise to determine if this product meets all your specific requirements. The utilization of the goods shall thus be at the purchaser's own risk. The seller should refuse any responsibility regarding his intervention for direct and/or indirect damage potentially arising from this particular use. Only in case of product default, the seller shall not be liable for damages in excess of the purchase price of the product.

*values are rounded up or down **First and last piece might be out of tolerance (l piece = A x B x C)



Permanent adhesive (transparent Release)

Type	A mm	B mm	C mm	Packaging unit pcs	Packaging unit* m	Item code
∞ 50 x 10 HMP	50 ±3	10 ±2	50 ±8**	16.100	805	3002214
∞ 50 x 20 HMP	50 ±3	20 ±2	50 ±8**	10.350	518	3002216
∞ 50 x 50 HMP	50 ±3	50 ±3	50 ±8	4.025	201	3002235
∞ 65 x 25 HMP	65 ±3	25 ±2	64 ±8	4.950	317	3002223
∞ 100 x 25 HMP	100 ±3	25 ±2	96 ±8	2.160	207	3002224
∞ 100 x 50 HMP	100 ±3	50 ±3	96 ±8	1.176	113	3011418

m³/ = 0,68

1190 * 790 * 700 mm

We recommend the adequate tests be made in your laboratory, plant or otherwise to determine if this product meets all your specific requirements. The utilization of the goods shall thus be at the purchaser's own risk. The seller should refuse any responsibility regarding his intervention for direct and/or indirect damage potentially arising from this particular use. Only in case of product default, the seller shall not be liable for damages in excess of the purchase price of the product.

*values are rounded up or down **First and last piece might be out of tolerance (l piece = A x B x C)



NOMAPACK® PAD HALFMOON

The spacer profile with removable (D) or permanent (P) adhesive.

COLOUR

Standard blue

LENGTH

1.000 mm ±20mm

PACKAGING

Pieces in boxes

BOXES ON PALLET

8

Removable adhesive tape (white Release)

Type	A mm	B mm	Packaging unit pcs	Packaging unit m	Item code
40 D	42 ±1	50	2.000	100	3002225
50 D	51 ±2	50	1.200	60	3002229
60 D	58 ±2	50	1.000	50	3002236

m³/☐ = 0,25

☐ 1020 * 600 * 400 mm

Permanent adhesive tape (yellow Release)

Type	A mm	B mm	Packaging unit pcs	Packaging unit m	Item code
40 P	42 ±1	50	2.000	100	3002228
50 P	51 ±2	50	1.200	60	3002233
60 P	58 ±2	50	1.000	50	3002237

m³/☐ = 0,25

☐ 1020 * 600 * 400 mm





NOMAPACK® PAD 25 mm

The spacer profile with removable (D) or permanent (P) adhesive.

COLOUR	LENGTH
Standard blue	1.000 mm ±20 mm
PACKAGING	BOXES ON PALLET
Pieces in boxes	8

Removable adhesive tape (white Release)

Type	A mm	B mm	C mm	D mm	Packaging unit pcs	Packaging unit m	Item code
25/1m D 50mm	55 ±4	41 ±2	25 ±2	50 ±5	3.200	160	3002217
m ³ / = 0,25		1020 * 590 * 390 mm					

Permanent adhesive tape (yellow Release)

Type	A mm	B mm	C mm	D mm	Packaging unit pcs	Packaging unit m	Item code
25/1m P 50mm	55 ±4	41 ±2	25 ±2	50 ±5	3.200	160	3002222
m ³ / = 0,25		1020 * 590 * 390 mm					

NOMAPACK® GLASS PAD

SELF-ADHESIVE SPACING PADS

THE PUNCTIFORM TRANSPORT PROTECTION

NOMAPACK® Glass Pads protect glass panes or panels against scratches, cracks and breakages during any type of transport or storage. NOMAPACK® Glass Pad simply holds due to its suction force and does not leave any residue or trace behind.


PRODUCT FEATURES:

- › XLPa foam with a self-adhesive white foam layer
- › Supplied as pieces
- › Available in different dimensions and thicknesses

APPLICATIONS:


- › Distance holders to protect high-polished and sensitive surfaces





NOMAPACK® GLASS PAD

The spacer pad between glass panels.



COLOUR

Grey

PACKAGING

Pieces in boxes

BOXES ON PALLET

10

Type	A mm	B mm	C mm	Packaging unit pcs	Item code
∞ 45x45x 8+2	45 ±1	8 ±1	45 ±1	2.500	3012433
∞ 45x45x10+2	45 ±1	10 ±1	45 ±1	2.500	3012435
∞ 45x45x12+2	45 ±1	12 ±1	45 ±1	2.500	3012436

m³/☐ = 0,13

☐ 600 * 600 * 360 mm

The following NOMAPACK® Glass Pads are only available with a minimum order quantity of 50.000 pieces.

∞ 20x20x 8+2	20 ±1	8 ±1	20 ±1	2.500	3002335
--------------	-------	------	-------	-------	---------

m³/☐ = 0,05

☐ 390 * 395 * 310 mm

∞ 20x20x10+2	20 ±1	10 ±1	20 ±1	2.500	3009231
--------------	-------	-------	-------	-------	---------

∞ 20x20x12+2	20 ±1	12 ±1	20 ±1	2.500	3009232
--------------	-------	-------	-------	-------	---------

m³/☐ = 0,08

☐ 610 * 370 * 370 mm

∞ 45x25x 8+2	25 ±1	8 ±1	45 ±1	2.500	3003720
--------------	-------	------	-------	-------	---------

∞ 45x25x10+2	25 ±1	10 ±1	45 ±1	2.500	3002337
--------------	-------	-------	-------	-------	---------

∞ 45x25x12+2	25 ±1	12 ±1	45 ±1	2.500	3009235
--------------	-------	-------	-------	-------	---------

m³/☐ = 0,13

☐ 600 * 600 * 360 mm

The pads are packed in bulk in cardboard boxes / two pads glued to each other.
 Other sizes and colors are available on request with a minimum order quantity and a corresponding delivery period.
 We recommend the adequate tests be made in your laboratory, plant or otherwise to determine if this product meets all your specific requirements. The utilization of the goods shall thus be at the purchaser's own risk. The seller should refuse any responsibility regarding his intervention for direct and/or indirect damage potentially arising from this particular use. Only in case of product default, the seller shall not be liable for damages in excess of the purchase price of the product.

NOMAPACK® O

THE ALL-ROUND PROTECTION

NOMAPACK® O offers an extensive selection of round profiles in various diameters and wall thicknesses, which have been specially developed for the protection of round bodies or elongated items.

- › Adaptable to most round bodies
- › Special and total protection for sensitive items

PRODUCT FEATURES:

- › PE-LD foam
- › Density from 20 kg/m³ to 35 kg/m³
- › Supplied as lengths
- › Water absorption < 1 – vol.% after 40 days
- › Recyclable

APPLICATIONS:

- › Pieces of furniture
- › Bicycle frames
- › Exercise machines



NOMAPACK® O SLIT 9 mm

The profile that can be immediately clipped upon the object to protect.

COLOUR	LENGTH
Grey	2.000 mm ±30 mm
PACKAGING	BOXES ON PALLET
lengths in boxes	4

Type	A mm	B mm	Packaging unit m	Item code
15 - 9	16 +3	9 ±1,5	380	3002517
18 - 9	19 +3	9 ±1,5	330	3002321
22 - 9	23 +3	9 ±1,5	250	3002322
28 - 9	29 +3	9 ±1,5	190	3002324
35 - 9	36 +3	9 ±1,5	150	3002516
42 - 9	44 +4	9 ±1,5	110	3002419

m³/ = 0,50 2040 * 590 * 390 mm




NOMAPACK® O PRESLIT

The pre-slit profile for round bodies. Other dimensions are available on request.

COLOUR	LENGTH
Grey	2.000 mm ±30 mm
PACKAGING	BOXES ON PALLET
Lengths in boxes	4


Type	A mm	B mm	Packaging unit m	Item code
NOMAPACK® O PRESLIT 9 mm				
15 - 9	16 +3	9 ±1,5	380	3001040
18 - 9	19 +3	9 ±1,5	330	3001041
22 - 9	23 +3	9 ±1,5	250	3001042
28 - 9	29 +3	9 ±1,5	190	3001044
35 - 9	36 +3	9 ±1,5	150	3001045
42 - 9	44 +4	9 ±1,5	110	3001046
48 - 9	50 +4	9 ±1,5	90	3001047
54 - 9	56 +4	9 ±1,5	70	3001048
60 - 9	62 +4	9 ±1,5	66	3001049
76 - 9	78 +4	9 ±1,5	48	3001050
89 - 9	91 +4	9 ±1,5	40	3001051





Type	A mm	B mm	Packaging unit m	Item code
NOMAPACK® O PRESLIT 13 mm				
15 - 13	16 +3	13 ±2	256	3001053
18 - 13	19 +3	13 ±2	220	3001054
22 - 13	23 +3	13 ±2	180	3001055
28 - 13	29 +3	13 ±2	140	3001056
35 - 13	36 +3	13 ±2	120	3001057
42 - 13	44 +4	13 ±2	90	3001058
48 - 13	50 +4	13 ±2	70	3001059
54 - 13	56 +4	13 ±2	66	3001060
60 - 13	62 +4	13 ±2	48	3001061
76 - 13	78 +4	13 ±2	40	3001062
89 - 13	91 +4	13 ±2	30	3001063
102 - 13	105 +5	13 ±2	24	3001064
114 - 13	117 +5	13 ±2	22	3001065
NOMAPACK® O PRESLIT 20 mm				
15 - 20	16 +3	20 ±2,5	134	3001067
18 - 20	19 +3	20 ±2,5	126	3001068
22 - 20	23 +3	20 ±2,5	108	3001069
28 - 20	29 +3	20 ±2,5	96	3001070
35 - 20	36 +3	20 ±2,5	70	3001071
42 - 20	44 +4	20 ±2,5	60	3001072
48 - 20	50 +4	20 ±2,5	48	3001073

NOMAPACK®




Type	A mm	B mm	Packaging unit m	Item code
54 - 20	56 +4	20 ±2,5	48	3001074
60 - 20	62 +4	20 ±2,5	40	3001075
76 - 20	78 +4	20 ±2,5	26	3001076
89 - 20	91 +4	20 ±2,5	24	3001077
102 - 20	105 +5	20 ±2,5	20	3047394
114 - 20	117 +5	20 ±2,5	14	3047396

NOMAPACK® O PRESLIT 25 mm

15 - 25	16 +3	25 ±2,5	90	3008228
18 - 25	19 +3	25 ±2,5	90	3008229
22 - 25	23 +3	25 ±2,5	70	3001080
28 - 25	29 +3	25 ±2,5	66	3001081
35 - 25	36 +3	25 ±2,5	56	3001082
42 - 25	44 +4	25 ±2,5	48	3001083
48 - 25	50 +4	25 ±2,5	40	3003743
60 - 25	62 +4	25 ±2,5	30	3047405
76 - 25	78 +4	25 ±2,5	24	3047406
89 - 25	91 +4	25 ±2,5	16	3047407
114 - 25	117 +5	25 ±2,5	12	3047408

m³/ = 0,50

 2040 * 590 * 390 mm



NOMAPACK® O ROUND

The protective padding for storage and transport. It is also suitable for filling static and dynamic joints with varying degrees of expansions.

COLOUR

White

BOXES ON PALLET

2 for R 75 mm
& R 100 mm

PACKAGING


Lengths in boxes

4 for R 150 mm

Type	A mm	Packaging unit m	Item code
R 75 mm/2,2 m*	75 ±3	171,6	3004076
R 100 mm/2,2 m*	100 ±4	92,4	3004077
$m^3 / \text{box} = 1,10$	$\text{box} 2290 * 780 * 590 \text{ mm}$		
R 150 mm/1,85 m**	153 ±4	14,8	3012186
$m^3 / \text{box} = 0,50$	$\text{box} 2040 * 590 * 390 \text{ mm}$		

**NOMAPACK® O Round R 150 mm in 2,75 m length (Item code 3003708)
is only available with a minimum order quantity of 5.632 m.**

* 2.200 mm ±50 mm ** 1.850 mm ±50 mm



NOMAPACK® O ROUND CUT CORNER

The easy to fix protection for corners.

COLOUR

White


BOXES ON PALLET


4

PACKAGING

Pieces in boxes

Type	A mm	B mm	Packaging unit pcs	Item code
100 - 10	100 ±3	10	1.900	3002519
100 - 15	100 ±3	15	1.500	3002518
100 - 20	100 ±3	20	1.100	3003593
75 - 10	75 ±3	10	3.900	3003592
75 - 15	75 ±3	15	2.750	3002520
75 - 20	75 ±3	20	2.000	3002160

m³/ = 0,48

 1200 * 800 * 500 mm



NOMAPACK® SYSTEM

THE FRAME FOR SENSITIVE GOODS

NOMAPACK® System, the efficient transport protection for sensitive goods. Thanks to its directly extruded, specially developed L-shape with integrated holes, it offers ideal protection against impacts and vibration and is easy to process into a shock absorbing frame.

- › Outstanding protection against shocks and vibrations
- › Tailor-made, adaptable and customer-oriented solutions


PRODUCT FEATURES:

- › PE-LD foam
- › Density from 24 kg/m³ to 34 kg/m³
- › Supplied as lengths
- › Water absorption < 1 – vol.% after 40 days
- › Recyclable
- › Cushioning curves available on demand

APPLICATIONS:

- › High-tech products
- › Medical devices

NOMAPACK®



NOMAPACK® SYSTEM

The frame profile for light goods which is specially suitable for sensitive surfaces.

COLOUR	LENGTH
Standard blue	2.000 mm ±30 mm
PACKAGING	BOXES ON PALLET
Lengths in boxes	4



Type	A mm	B mm	C mm	D mm	E °	Packaging unit m	Item code
30 mm	30 ±2	63 ±3	63 ±3	30 ±2	93° ±3	140	3002187
40 mm	40 ±2	85 ±3	85 ±3	40 ±2	93° ±3	84	3002189
50 mm	50 ±2	98 ±3	98 ±3	50 ±2	93° ±3	56	3002193


m³/ = 0,50

2040 * 590 * 390 mm

NOMAPACK® SYSTEM HD

The frame profile for heavy goods

COLOUR	LENGTH
Standard blue	2.000 mm ±30 mm
PACKAGING	BOXES ON PALLET
Lengths in boxes	4



Type	A mm	B mm	C mm	D mm	E °	Packaging unit m	Item code
20 mm	21 ±1	52 ±2	52 ±2	21 ±1	90° ±3	224	3002184
30 mm	30 ±2	63 ±3	63 ±3	30 ±2	90° ±3	140	3002186
40 mm	40 ±2	80 ±2	80 ±2	40 ±2	93° ±3	84	3002188
50 mm	50 ±2	97 ±3	97 ±3	50 ±1	93° ±3	56	3002192

m³/ = 0,50

2040 * 590 * 390 mm



NOMAPACK® C

THE CUSTOMER-SPECIFIC PACKAGING PROFILE

NOMAPACK® C protects corners and edges reliably. The BTH-profile has been specially designed to protect both ceramics and offers customized solutions for many different applications.

NOMAPACK® C is additionally suitable for use as a spacer for industrial storage.

PRODUCT FEATURES:

- > PE-LD foam
- > Supplied as lengths
- > Water absorption < 1 – vol.% after 40 days
- > Recyclable

APPLICATIONS:


- > Bathroom ceramics
- > Distance holder to protect high-polished and sensitive surfaces
- > Total protection for long and narrow goods



NOMAPACK® C 25X10-10

The Flexible all-round protection for long and narrow items.

COLOUR Standard blue
LENGTH 2.000 mm ±30 mm
PACKAGING Lengths in boxes
BOXES ON PALLET 4




Type	A mm	B mm	C mm	Packaging unit m	Item code
25 x 10 - 10	43 ±1	30 ±2	10 ±1	312	3002197
m ³ /☐ = 0,50		☐ 2040 * 590 * 390 mm			



NOMAPACK® C RECTANGULAR

A small spacer for separating sensitive surfaces.

COLOUR Standard blue
LENGTH 2.000 mm ±30 mm
PACKAGING Lengths in boxes
BOXES ON PALLET 4



Type	A mm	B mm	Packaging unit m	Item code
∞ 50 x 50	50 ±3	50 ±3	154	3002202
∞ 100 x 50	98 ±3	50 ±3	80	3002195
m ³ /☐ = 0,50		☐ 2040 * 590 * 390 mm		



NOMAPACK® C BTH

The total protection for sensitive edges.

COLOUR	LENGTH
Standard blue	2.000 mm ±30 mm
PACKAGING	BOXES ON PALLET
Lengths in boxes	4

Type	A mm	B mm	C mm	D mm	E mm	Packaging unit m	Item code
BTH	34 ±1	23 ±2	57 ±3	74 ±4	5,5 ±1	120	3002205
m ³ / = 0,50		2040 * 590 * 390 mm					





NOMA[®] PROTECT

LONG-LASTING PROTECTION IN EVERYDAY USE

Whether impact protection profiles or co-extruded round foams, the diverse products of NOMA[®] PROTECT prevent shocks and injuries by offering numerous application possibilities for the protection of people and goods.



NOMA® PROTECT TUFF PAD

THE LONG TERM PROTECTION

NOMA® PROTECT Tuff Pad are coextruded round foams with a reinforced outer skin which offers various applications. Ideal to protect our kids while playing and climbing on playgrounds, trampolines or other game areas. NOMA® PROTECT Tuff Pad are always there to prevent injuries and crushes. They cover the complete metallic structure and provide a long term protection.

PRODUCT FEATURES:

- › PE-LD foam / Outer skin PE-LD
- › Supplied as lengths
- › Water absorption < 1 – vol.% after 40 days
- › Recyclable
- › Relatively UV resistant
- › Conform with norm EN 71-3
- › Pre-slit for easy use
- › Other colours available on request
- › Washable

APPLICATIONS:

- › Playgrounds, kids playing areas and climbing frames
- › Scaffolding
- › Horse trailer – bar coating
- › Ski areas/ski lifts
- › Diverse



NOMA® PROTECT TUFF PAD

The UV resistant pre-slit profile for easy fixation.

PACKAGING

Lengths in boxes

BOXES ON PALLET

4

LENGTH

2.480 mm \pm 40 mm

Type	Colour	A mm	B mm	Packaging unit m	Item code
52 - 17	orange	52 \pm 1	17 \pm 1	66,96	3003082
52 - 17	yellow	52 \pm 1	17 \pm 1	66,96	3003083
52 - 17	green	52 \pm 1	17 \pm 1	66,96	3003085
52 - 17	light brown	52 \pm 1	17 \pm 1	66,96	3003988
52 - 17	dark brown	52 \pm 1	17 \pm 1	66,96	3003990
52 - 17	silver	52 \pm 1	17 \pm 1	66,96	3003787
52 - 17	light green	52 \pm 1	17 \pm 1	66,96	3003786
52 - 17	ice blue	52 \pm 1	17 \pm 1	66,96	3003858
52 - 17	pink	52 \pm 1	17 \pm 1	66,96	3003788
52 - 17	violet	52 \pm 1	17 \pm 1	66,96	3003789
52 - 17	black	52 \pm 1	17 \pm 1	66,96	3003086
52 - 17	blue	52 \pm 1	17 \pm 1	66,96	3003932
52 - 17	red	52 \pm 1	17 \pm 1	66,96	3003859
52 - 17	cyan	52 \pm 1	17 \pm 1	66,96	3043433*
52 - 17	purple	52 \pm 1	17 \pm 1	66,96	3045069*
52 - 17	turquoise	52 \pm 1	17 \pm 1	66,96	3045458*
52 - 17	white	52 \pm 1	17 \pm 1	66,96	3045455*

m³/ = 0,60

2540 * 590 * 390 mm

NOMA® PROTECT TEMPORARY PROTECTION

THE SHORT TERM PROTECTION

NOMA® PROTECT TEMPORARY Protection 114 x 13/2 m is a solution specially designed to protect door frames and edges whilst construction, renovation or move-around,... Thanks to its flexibility, this pre-slit profile can be easily fixed.

PRODUCT FEATURES:

- › PE-LD foam
- › Supplied as lengths
- › Water absorption < 1 – vol. % after 40 days
- › Recyclable
- › Easy to fix

APPLICATIONS:

- › Adheres thanks to its natural clamping force and can be reused many times
- › Protects punctually and prevents from moving damages
- › Can be used on any standard door frame
- › Is available in other sizes and colors (on request)



NOMA® PROTECT TEMPORARY PROTECTION 114X13/2 M

The easy to fix protection for door and window frames.

COLOUR

Red

LENGTH



2.000 mm ± 30 mm

PACKAGING


Lengths in boxes

BOXES ON PALLET

4

Type	A mm	B mm	Packaging unit m	Item code
114 x 13	114 +6/0	13 ± 1	22	3003074
m ³ /  = 0,50		 2040 * 590 * 390 mm		





NOMA® PROTECT WARNING PROFILES

NOMA® PROTECT WARNING PROFILES effectively prevent dangers thanks to their striking signal color and provide reliable impact protection through their flexibility. The high-performance adhesive used keeps the profile in place even under difficult conditions.

PRODUCT FEATURES:

- › Flexible PU foam
- › Permanent adhesive
- › Very good signalisation effect
- › Easy to apply to almost all surfaces (free from dust and grease)
- › Silicone-free
- › Temperature resistant
- › Fire performance: Euroclass E (EN 13501-1)
- › Available in lengths of 1 m or on request in 2 m lengths

APPLICATIONS:

- › Edge protector
- › Prevention of impact injuries at shelves and corners
- › Production area



NOMA® PROTECT WARNING PROFILES

COLOUR

Yellow/black


LENGTH

1.000 mm*


PACKAGING

Lengths in boxes


Type	Packaging unit m	Item code
WP C 40x28 mm	6	3044628
$m^3 / \text{box} = 0,01$ 1030 * 130 * 80 mm		




Type	Packaging unit m	Item code
WP C 50x25 mm	6	3044629
$m^3 / \text{box} = 0,01$ 1030 * 130 * 80 mm		



Type	Packaging unit m	Item code
WP P 40x11 mm	12	3044631
$m^3 / \text{box} = 0,01$ 1030 * 130 * 80 mm		



Type	Packaging unit m	Item code
WP L 32x22 mm	12	3044630
$m^3 / \text{box} = 0,01$ 1030 * 130 * 80 mm		




*Length of 2.000 m on request

NOMA® PROTECT


Type	Packaging unit m	Item code
WP U 39x36 mm	6	3044728

$m^3 / \text{box} = 0,01$  1030 * 130 * 80 mm




Type	Packaging unit m	Item code
WP L 54x41 mm	6	3044729

$m^3 / \text{box} = 0,01$  1030 * 130 * 80 mm




Type	Packaging unit m	Item code
WP U 27x30 mm	6	3044730

$m^3 / \text{box} = 0,01$  1030 * 130 * 80 mm



Type	Packaging unit m	Item code
WP P 40x28 mm	6	3044727

$m^3 / \text{box} = 0,01$  1030 * 130 * 80 mm




NEW

On special request, the NOMA®PROTECT WARNING PROFILES can also be printed with customised colour patterns. Please feel free to contact us without obligation.



NOMAFOAM®

Your foam specialist with a wide range of standard products and well thought out customer-specific solutions. We use our know-how to provide a bespoke, individual and sustainable solution for all your foam applications.



PROCESSING

Our core skill lies in the development, production and international marketing of technical foams. We have mastered the required technological methods in order to process raw materials and combine them in a complex and precise production process.

Our products' varied range of applications can be customized by means of additional processing. Countless techniques and options are available for further improving products during or following the production process. Naturally we work closely with our customers to collectively devise the best possible solution.

EXTRUSION

Extrusion is the ability to create technical ambitious foam profiles; cross-linked or non-cross-linked sheets and rolls for both standard and custom designed specifications. Thanks to many years of experience, we are able to combine and optimise the whole process and production chain. Various densities, colours, tailor made profiles and foils are also available upon request. Coextrusion is a production process of foam in which two or more compatible feed materials are merged together. Foam profiles can be coated with an additional layer of non foamed material in various colours or they can be re-inforced with an additional coating to increase for example their mechanical or UV resistance.

LAMINATING

Lamination is the technique of manufacturing a material in multiple layers, so that the composite material achieves improved strength, sound insulation, appearance or other properties. Whether it will be foam on foam or semi-finished material lamination, high emissivity aluminum foil or hook and loop fastener – there are many possibilities.

THERMOFORMING

Thermoforming is a manufacturing process where a foam product is heated and formed to a specific shape in a mould and finally trimmed to create a finished product. A wide range of extremely complex design criteria can be met and even three dimensional products can be realized.

CONVERSION

ADHESIVE

We are able to apply different types of adhesives to join materials together; either with a hot melt or an adhesive tape. The adhesion can be permanent or removable, adapted to a specific temperature range. We offer a great choice of possibilities.

CUTTING

Extruded profiles or foils and sheets could be upgraded by additional mechanical process like cutting, milling or stamping. According to customer requirement they can be for example, equipped with special cuts to make them more flexible and elastic. Foam profiles can be finished partially cut to simplify handling and avoid waste material.

NOMATEC®

PERFORMANCE UPGRADE FOR YOUR PRODUCTS

Our manufacturing processes enable us to offer custom-made, technically advanced components for your finished products or specific applications. Our engineers will work alongside your experts to deliver the perfect foam solution customised to your individual requirements.



CONVERTING

THE RIGHT FOAM BENEFIT FOR YOU

We will work together to develop innovative, customer-oriented products. From the smallest order to the largest bulk order, we guarantee flawless service. By using the most versatile foam materials in the widest array of versions, along with our processing options and possible finishing processes, we can manufacture high-value, highly specific products to your requirements.

To help you bring your project to fruition, please feel free to contact us without obligation or find us on www.nmc-nomafoam.com.

CONTACT



BE - BELGIUM

NMC sa

Gert-Noël-Strasse

B-4731 Eynatten

Phone: +32 87 85 85 00

Fax: +32 87 85 85 11

Email: info@nmc.eu

DE - GERMANY

NMC Deutschland GmbH

Weierhausstrasse, 8b

D-64646 Heppenheim

Phone: +49 6252 967-0

Email: info@nmc-deutschland.de

FR - FRANCE

NMC France sas

Zone Industrielle de la Forêt

97, route d'Anor - CS 10103

F-59613 Fourmies Cedex

Phone: +33 3 27 60 81 00

Fax: +33 3 27 59 98 55

Email: info@nmc-france.fr

IT - ITALY

NMC Italia s.r.l.

Via A. Volta 27/29

I-20042 Pessano con Bornago (Milano)

Phone: +39 02 955 454-1

Fax: +39 02 955 454-30

Email: info@nmc-italia.it

UK - UNITED KINGDOM

NMC UK Ltd.

Tafarnaubach Industrial Estate
UK-NP22 3AA Tredegar, South Wales
Phone: +44 1495 71 32 66
Fax: +44 1495 71 32 77
Email: enquiries@nmc-uk.com

NO - NORWAY

NMC Norge AS

Tuneveien 89
NO-1712 Grålum
Phone: +47 47 45 60 44
Email: info@nmc-norge.no

SE - SWEDEN

NMC Sverige AB

Stenstorpsvägen 35, Box 103
SE-305 75 Getinge
Phone: +46 35 588 00
Fax: +46 35 588 90
Email: info@nmc.se

NMC Cellfoam AB

Fritslavägen 82 - Box 4081
SE-511 04 Kinnahult
Phone: +46 320 210 900
Fax: +46 320 210 901
Email: info.cellfoam@nmc.se

FI - FINLAND

NMC Cellfoam Oy

Eturuskonkatu 2
FI-33720 Tampere
Phone: +358 29 7010 1200
Fax: +358 3 379 1316
Email: sales@cellfoam.fi

NMC Termonova Oy

Torppanummentie 44
FI-10210 Inkoo
Phone: + 358 (0) 207 809 600
Fax: + 358 (0) 207 809 601
Email: info@termonova.fi

PL - POLAND

NMC Polska Sp.Zo.o.

Ul. Pyskowicka 15
PL-41807 Zabrze
Phone: + 48 32 373 24 36
Email: biuro@nmc.pl

RU - RUSSIA

NMC RUS LLC.

Kronshtadtsky blvd, 7
3rd floor, area 1, room 41
RU-125212 Moscow
Phone: +7 495 232 69 58
e-mail: vopros@nmcrus.ru

VISIT US ON:



NMC reserves the right to update the product line or its technical features to the state-of-the-art technology anytime and without previous announcement. All given information is to the best of our knowledge. If you have any questions concerning technical details please contact the NMC information service. Any partial reproduction or reprint shall require our explicit approval.



