

NOMA PACK®

NOMAPACK® PAD

TRANSPORT CUSHION WITH BIG IMPACT

NOMAPACK® PAD is a spacer available in various dimensions with removable or permanent glue. It is a packaging pad for separating sensitive goods or fixing them in place. The pads are pre-punched so that the desired length can be cut off simply and cleanly.


- › Available with or without adhesive in various lengths and thicknesses

PRODUCT FEATURES:

- › PE-LD foam
- › Supplied as lengths
- › Water absorption < 1 – vol.% after 40 days
- › Recyclable

APPLICATIONS:

- › Cushioning
- › Spacing
- › Fixation



NOMAPACK® PAD

The spacer profile with removable (HMR) or permanent (HMP) adhesive. It has a good compression set.

COLOUR	LENGTH
Standard blue	1.150 mm ±20mm
PACKAGING	BOXES ON PALLET
Pieces in boxes	3

Removable adhesive (white Release)

Type	A mm	B mm	C mm	Packaging unit pcs	Packaging unit* m	Item code
50 x 10 HMR	50 ±3	10 ±2	50 ±8**	16.100	805	3002213
50 x 20 HMR	50 ±3	20 ±2	50 ±8**	10.350	518	3002215
50 x 50 HMR	50 ±3	50 ±3	50 ±8	4.025	201	3002232
65 x 25 HMR	65 ±3	25 ±2	64 ±8	4.950	317	3002219
100 x 25 HMR	100 ±3	25 ±2	96 ±8	2.160	207	3002220
100 x 50 HMR	100 ±3	50 ±3	96 ±8	1.176	113	3011417

m³/ = 0,68 1190 * 790 * 700 mm



We recommend the adequate tests be made in your laboratory, plant or otherwise to determine if this product meets all your specific requirements. The utilization of the goods shall thus be at the purchaser's own risk. The seller should refuse any responsibility regarding his intervention for direct and/or indirect damage potentially arising from this particular use. Only in case of product default, the seller shall not be liable for damages in excess of the purchase price of the product.






Permanent adhesive (transparent Release)

Type	A mm	B mm	C mm	Packaging unit pcs	Packaging unit* m	Item code
50 x 10 HMP	50 ±3	10 ±2	50 ±8**	16.100	805	3002214
50 x 20 HMP	50 ±3	20 ±2	50 ±8**	10.350	518	3002216
50 x 50 HMP	50 ±3	50 ±3	50 ±8	4.025	201	3002235
65 x 25 HMP	65 ±3	25 ±2	64 ±8	4.950	317	3002223
100 x 25 HMP	100 ±3	25 ±2	96 ±8	2.160	207	3002224
100 x 50 HMP	100 ±3	50 ±3	96 ±8	1.176	113	3011418

m³/ = 0,68

 1190 * 790 * 700 mm

We recommend the adequate tests be made in your laboratory, plant or otherwise to determine if this product meets all your specific requirements. The utilization of the goods shall thus be at the purchaser's own risk.

The seller should refuse any responsibility regarding his intervention for direct and/or indirect damage potentially arising from this particular use. Only in case of product default, the seller shall not be liable for damages in excess of the purchase price of the product.

*values are rounded up or down **First and last piece might be out of tolerance (1 piece = A x B x C)





NOMAPACK® PAD HALFMOON

The spacer profile with removable (D) or permanent (P) adhesive.

COLOUR

Standard blue

LENGTH

1.000 mm ±20mm

PACKAGING

Pieces in boxes

BOXES ON PALLET

8

Removable adhesive tape (white Release)

Type	A mm	B mm	Packaging unit pcs	Packaging unit m	Item code
40 D	42 ±1	50	2.000	100	3002225
50 D	51 ±2	50	1.200	60	3002229
60 D	58 ±2	50	1.000	50	3002236

m³/☐ = 0,25 ☐ 1020 * 600 * 400 mm

Permanent adhesive tape (yellow Release)

Type	A mm	B mm	Packaging unit pcs	Packaging unit m	Item code
40 P	42 ±1	50	2.000	100	3002228
50 P	51 ±2	50	1.200	60	3002233
60 P	58 ±2	50	1.000	50	3002237

m³/☐ = 0,25 ☐ 1020 * 600 * 400 mm





NOMAPACK® PAD 25 mm

The spacer profile with removable (D) or permanent (P) adhesive.

COLOUR	LENGTH
Standard blue	1.000 mm ±20 mm
PACKAGING	BOXES ON PALLET
Pieces in boxes	8

Removable adhesive tape (white Release)

Type	A mm	B mm	C mm	Packaging unit pcs	Packaging unit m	Item code
25/1m D 50 mm	55 ±4	41 ±2	25 ±2	3.200	160	3002217
m ³ / = 0,25		1020 * 590 * 390 mm				

Permanent adhesive tape (yellow Release)

Type	A mm	B mm	C mm	Packaging unit pcs	Packaging unit m	Item code
25/1m P 50 mm	55 ±4	41 ±2	25 ±2	3.200	160	3002222
m ³ / = 0,25		1020 * 590 * 390 mm				



NMC reserves the right to update the product line or its technical features to the state-of-the-art technology anytime and without previous announcement. All given information is to the best of our knowledge. If you have any questions concerning technical details please contact the NMC information service. Any partial reproduction or reprint shall require our explicit approval.

