

NOMA PACK®

NOMAPACK® U

PROTECTED AND UNIVERSALLY USABLE

The NOMAPACK® U range consists of effective protection profiles for edges and curves of all types. Thanks to the various dimensions and thicknesses and thanks to the possibility to develop bespoke profiles, you'll always find suitable protection for your product with NOMAPACK® U.

- › Edge protection from 2 to 160 mm
- › Easy fitting Multishape version
- › Patented design

PRODUCT FEATURES:

- › PE-LD foam
- › Supplied as lengths or coils
- › Water absorption < 1 – vol.% after 40 days
- › Recyclable
- › The tolerance of the length of the coils is up to a maximum of ±2%

APPLICATIONS:


- › Tables and worktops
- › Shelves, storage units and other furniture parts
- › Mirrors, glass plates, ceramic
- › Works of art, framed pictures, etc.



NOMAPACK® U TULIP

The „original“ – proven and reliable profile.

COLOUR	LENGTH
Standard blue	2.000 mm ±30 mm
PACKAGING	BOXES/COILS
Lengths in boxes or on coils	ON PALLET
	4



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
∞ 5 - 15	16 ±2	7 ±1	3 ±3	29 ±2	560	3002243
∞ 15 - 25	24 ±2	8 ±1	10 ±3	35 ±3	320	3002250
∞ 25 - 35	35 ±2	10 ±1	20 ±4	40 ±3	240	3002257
∞ 35 - 45	41 ±2	12 ±2	25 ±5	46 ±3	180	3002261
∞ 45 - 60	57 ±2	14 ±2	30 ±5	60 ±2	100	3002267
∞ 60 - 80	71 ±2	15 ±2	45 ±5	66 ±2	80	3002279
∞ 80 - 100	92 ±3	18 ±2	60 ±10	68 ±3	72	3002288
∞ 100 - 120	120 ±4	21 ±2	98 ±10	80 ±3	44	3002289

m³ / = 0,50

2040 * 590 * 390 mm

∞ 5 - 15	16 ±2	7 ±1	3 ±3	29 ±2	500	3002241
∞ 15 - 25	24 ±2	8 ±1	10 ±3	35 ±3	220	3002248


m³ / = 0,70

1200 * 460 mm



NMC reserves the right to update the product line or its technical features to the state-of-the-art technology anytime and without previous announcement. All given information is to the best of our knowledge. If you have any questions concerning technical details please contact the NMC information service. Any partial reproduction or reprint shall require our explicit approval.





NOMAPACK® U MULTISHAPE

The high flexibility profile which adapts to every radius and angle thanks to the V-cut. The profile is supplied on coil for self-lengthening.


COLOUR
Standard blue


COILS ON PALLET
4

PACKAGING
On coils

Type	A mm	B mm	C mm	D mm	E mm	Packaging unit m	Item code
∞ 5 - 15 MS	16 ±2	7 ±1	3 ±3	29 ±2	150 ±10	480	3002242
∞ 15 - 25 MS	24 ±2	8 ±1	10 ±3	35 ±3	170 ±10	250	3002249
∞ 25 - 35 MS	35 ±2	10 ±1	20 ±4	40 ±3	170 ±10	150	3002255
∞ 35 - 45 MS	41 ±2	12 ±2	25 ±5	46 ±3	170 ±10	140	3002260

m³/∞ = 0,70 ∞ 1200 * 460 mm





NOMAPACK® U TULIP CORNER

The easy to fix corner protection, available in various cushioning thicknesses.

COLOUR

Standard blue





BOXES ON PALLET


8 to NOMAPACK® U Tulip Corner 35-45

PACKAGING

Pieces in boxes

3 from NOMAPACK® U Tulip Corner 45-60

Type	A mm	B mm	C mm	D mm	E=F mm	Packaging unit pcs	Item code
∞	5 - 15	16 ±2	7 ±1	3 ±3	29 ±2	100 ±10	900 3002163
∞	15 - 25	24 ±2	8 ±1	10 ±3	35 ±3	100 ±10	600 3002166
∞	25 - 35	35 ±2	10 ±1	20 ±4	41 ±3	100 ±10	450 3002168
∞	35 - 45	41 ±2	12 ±2	25 ±5	46 ±3	100 ±10	300 3002170
m ³ /  = 0,27		 785 * 585 * 585 mm					
∞	45 - 60	57 ±2	14 ±2	30 ±5	60 ±2	100 ±10	500 3002173
∞	60 - 80	71 ±2	15 ±2	45 ±5	66 ±2	100 ±10	400 3002175
∞	80 - 100	92 ±3	18 ±2	60 ±10	68 ±3	100 ±10	280 3002178
m ³ /  = 0,66		 1190 * 790 * 700 mm					






NOMAPACK® U TULIP STRETCH

The „original“ – proven profile with patented stretch system for widths up to 160 mm.

COLOUR	LENGTH
Standard blue	2.000 mm ±30 mm
PACKAGING	BOXES ON PALLET
Lengths in boxes	4



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
∞ 100 - 120 Stretch	120 - 160	21 ±2	100 - 140	80 ±3	44	3002290
m ³ / = 0,50		m ³ / = 2040 * 590 * 390 mm				

NOMAPACK® U TULIP STRETCH CORNER

COLOUR
Standard blue
PACKAGING
Pieces in boxes
BOXES ON PALLET
3



Type	A mm	B mm	C mm	D mm	E = F mm	Packaging unit pcs	Item code
∞ 100 - 120 Stretch	120 - 160	21 ±2	100 - 140	80 ±3	200 ±10	120	3002179
m ³ / = 0,66		m ³ / = 1190 * 790 * 700 mm					



NMC reserves the right to update the product line or its technical features to the state-of-the-art technology anytime and without previous announcement. All given information is to the best of our knowledge. If you have any questions concerning technical details please contact the NMC information service. Any partial reproduction or reprint shall require our explicit approval.





**NOMAPACK® U TULIP
LONG LEGS**

The profile with extended legs
for tapered corners and angles.

COLOUR	LENGTH
Standard blue	2.000 mm ±30 mm
PACKAGING	BOXES ON PALLET
Lengths in boxes	4

Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
∞ 0 - 30/70	29 ±2	14 ±1	0	94 ±6	100	3002262
∞ 30 - 40/70	38 ±2	14 ±1	26 ±10	84 ±5	100	3002266

m³ = 0,50 2040 * 590 * 390 mm



NMC reserves the right to update the product line or its technical features to the state-of-the-art technology anytime and without previous announcement. All given information is to the best of our knowledge. If you have any questions concerning technical details please contact the NMC information service. Any partial reproduction or reprint shall require our explicit approval.




NOMAPACK® U TULIP 45-70

The profile with longer legs for greater protection.

COLOUR	LENGTH
Standard blue	2.000 mm ±30 mm
PACKAGING	BOXES ON PALLET
Lengths in boxes	4



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
∞ 45 - 70	70 ±2	18 ±2	30 ±10	131 ±5	44	3002278
m ³ / = 0,50		2040 * 590 * 390 mm				



NOMAPACK® U 100-125/120

The special edge protection for large products.

COLOUR	LENGTH
Standard blue	2.000 mm ±30 mm
PACKAGING	BOXES ON PALLET
Lengths in boxes	4



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
100 - 125/120	124 ±4	19 ±2	90 ±20	123 ±3	32	3016555
m ³ / = 0,50		2040 * 590 * 390 mm				



NMC reserves the right to update the product line or its technical features to the state-of-the-art technology anytime and without previous announcement. All given information is to the best of our knowledge. If you have any questions concerning technical details please contact the NMC information service. Any partial reproduction or reprint shall require our explicit approval.



NOMAPACK® U CLASSIC

The „classic“ profile.

COLOUR

Standard blue

LENGTH


2.000 mm ±30 mm

PACKAGING

Lengths in boxes

BOXES ON PALLET

4



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
10 - 20	17 ±2	10,5 ±1	5 ±3	30 ±5	420	3002246
∞ 20 - 35	31 ±2	12 ±1	12 ±4	45 ±5	210	3002259
∞ 30 - 45	41 ±2	15 ±1	20 ±5	48 ±5	160	3002275
∞ 45 - 65	60 ±2	15 ±1	30 ±8	57 ±5	92	3002277
60 - 85	80 ±3	15 ±1	40 ±10	58 ±5	90	3002281

m³ / = 0,50 2040 * 590 * 390 mm





NOMAPACK® U 0-3

Special edge-protection for narrow products up to 3 mm. Prevents bends against sharp edges. The profile is supplied on coil for self-lengthening.



COLOUR

Grey

PACKAGING

On coils

COILS ON PALLET

4

Type	A mm	B mm	D mm	Packaging unit m	Item code
∞ 0 - 3	20 ±2	11 ±1	32 ±2	590	3002253
m ³ / = 0,70		1200 * 460 mm			

NOMAPACK® U 0-6

Thanks to its high cushioning thickness, this is the ideal profile for sensitive goods.

COLOUR

Grey

PACKAGING

Lengths in boxes or on coils

BOXES/COILS ON PALLET

4



Type	A mm	B mm	D mm	E mm	Packaging unit m	Item code
∞ 0 - 6/2 m*	28,5 ±1	14,5 ±1	37 ±1	13 ±1	320	3002269
m ³ / = 0,50		2040 * 590 * 390 mm			* 2.000 mm ±30mm	
∞ 0 - 6	28,5 ±1	14,5 ±1	37 ±1	13 ±1	320	3002270
m ³ / = 0,70		1200 * 460 mm				



NMC reserves the right to update the product line or its technical features to the state-of-the-art technology anytime and without previous announcement. All given information is to the best of our knowledge. If you have any questions concerning technical details please contact the NMC information service. Any partial reproduction or reprint shall require our explicit approval.





NOMAPACK® U 6-12

The Profile for products with a thickness from 6 to 12 mm. Especially suitable for products with bead or seals. It is also available with an inside PE reinforcement. The profile is supplied on coil for self-lengthening.



- COLOUR**
Standard blue
- PACKAGING**
On coils
- COILS ON PALLET**
4

Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
∞ 6 - 12	33 ±2	15 ±1	40 ±2	12 ±1	240	3002271
6 - 12 E-P*	33 ±2	15 ±1	40 ±2	12 ±1	240	3002272
∞ 6 - 12 CBC**	33 ±2	15 ±1	40 ±2	12 ±1	240	3002273

m³/🌀 = 0,70 🌀 1200 * 460 mm

NOMAPACK® U 8-12

A small profile with longer legs, ideal for ground glass edges. The profile is supplied on coil for self-lengthening.

- COLOUR**
Standard blue
- PACKAGING**
On coils
- COILS ON PALLET**
4



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
∞ 8 - 12	11,5 ±1	7 ±1	0 +3	30 ±5	550	3002244

m³/🌀 = 0,70 🌀 1200 * 460 mm



NMC reserves the right to update the product line or its technical features to the state-of-the-art technology anytime and without previous announcement. All given information is to the best of our knowledge. If you have any questions concerning technical details please contact the NMC information service. Any partial reproduction or reprint shall require our explicit approval.



* E-P = Edge - Pad = V - Cut and perforations all 160 mm (±1,500 pcs/coil) ** CBC= with inside reinforcement (coextrusion)



NOMAPACK® U 12-18

The profile for Sensitive edges with a thickness from 12 to 18 mm.

COLOUR	LENGTH
Standard blue	2.000 mm ±30 mm
PACKAGING	BOXES ON PALLET
Lengths in boxes	4



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
∞ 12 - 18	45 ±2	20 ±1	23 ±2	56 ±2	140	3002283
m ³ / = 0,50		2040 * 590 * 390 mm				

NOMAPACK® U EXTRA PADDING

The profile with an optimal padding for heavy goods. Perfect for single or stacked goods protection.

COLOUR	LENGTH
Standard blue	2.000 mm ±30 mm
PACKAGING	BOXES ON PALLET
Lengths in boxes	4



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
∞ 15 - 25/80	20 ±1	30 ±2	7 ±5	83 ±3	90	3002294
∞ 30 - 38/60*	32 ±2	19 ±1,5	20 ±6	60 ±2	140	3002287
∞ 30 - 45/55	41 ±3	25 ±2	22 ±5	73 ±6	80	3002293
m ³ / = 0,50		2040 * 590 * 390 mm				



NMC reserves the right to update the product line or its technical features to the state-of-the-art technology anytime and without previous announcement. All given information is to the best of our knowledge. If you have any questions concerning technical details please contact the NMC information service. Any partial reproduction or reprint shall require our explicit approval.



* Colour: grey

NOMAPACK® U HD

The ideal profile for heavy objects that requires a high compressive strength.

COLOUR

Standard blue

LENGTH


2.000 mm ±30 mm

PACKAGING

Lengths in boxes


BOXES ON PALLET

4



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
20 - 30	31 ±3	18 ±1	28 ±3	48 ±2	180	3002282
35 - 50	45 ±2	18 ±1	24 ±3	50 ±2	140	3002286

m³ / = 0,50 2040 * 590 * 390 mm



NOMAPACK® U FEP

The versatile protective profile with a particularly large internal diameter.

COLOUR

Standard blue

LENGTH

2.000 mm ±30 mm

PACKAGING

Lengths in boxes

BOXES ON PALLET

4



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
FEP	65 ±5	9 ±1	5 ±5	65 ±5	120	3002245

m³ / = 0,50 2040 * 590 * 390 mm



NMC reserves the right to update the product line or its technical features to the state-of-the-art technology anytime and without previous announcement. All given information is to the best of our knowledge. If you have any questions concerning technical details please contact the NMC information service. Any partial reproduction or reprint shall require our explicit approval.

