

NOMAPACK® U

PROTECTED AND UNIVERSALLY USABLE

The NOMAPACK® U range consists of effective protection profiles for edges and curves of all types. Thanks to the various dimensions and thicknesses and thanks to the possibility to develop bespoke profiles, you'll always find suitable protection for your product with NOMAPACK® U.

- » Edge protection from 2 to 160 mm
- » Easy fitting Multishape version

PRODUCT FEATURES:

- » PE-LD foam
- » Supplied as lengths or coils
- » Water absorption
< 1 – vol.% after 40 days
- » Recyclable
- » The tolerance of the length of the coils is up to a maximum of $\pm 2\%$

APPLICATIONS:

- » Tables and worktops
- » Shelves, storage units and other furniture parts
- » Mirrors, glass plates, ceramic
- » Works of art, framed pictures, etc.

THE EDGE PROTECTOR FOR EVERY APPLICATION




ENSURE YOUR **VALUABLE GOODS** ARRIVE IN **PERFECT CONDITION**

nmc

NOMAPACK® U TULIP


The „original“ – proven and reliable profile.



COLOUR
Standard blue

LENGTH
2.000 ±30 mm

PACKAGING
Lengths in boxes or on coils




Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
5 - 15	16 ±2	7 ±1	3 ±3	29 ±4	560	3002243
15 - 25	24 ±2	8 ±1	10 ±3	35 ±4	320	3002250
25 - 35	35 ±2	10 ±1	20 ±4	40 ±4	240	3002257
35 - 45	41 ±2	12 ±2	25 ±5	46 ±4	180	3002261
45 - 60	57 ±2	14 ±2	30 ±5	60 ±4	100	3002267
60 - 80	71 ±2	15 ±2	45 ±5	66 ±5	80	3002279
80 - 100	92 ±3	18 ±2	60 ±10	68 ±5	72	3002288
100 - 120	120 ±4	21 ±2	98 ±10	80 ±5	44	3002289
$m^3 / \text{box} = 0,50$		2040 * 590 * 390 mm			4 on pallet	
5 - 15	16 ±2	7 ±1	3 ±3	29 ±4	500	3002241
15 - 25	24 ±2	8 ±1	10 ±3	35 ±4	220	3002248
$m^3 / \text{coil} = 0,70$		1200 * 460 mm			4 on pallet	



NOMAPACK® U TULIP CORNER

The easy to fix corner protection, available in various cushioning thicknesses.



COLOUR
Standard blue


PACKAGING
Pieces in boxes



Type	A mm	B mm	C mm	D mm	E=F mm	Packaging unit pcs	Item code
5 - 15	16 ±2	7 ±1	3 ±3	29 ±4	100 ±10	900	3002163
15 - 25	24 ±2	8 ±1	10 ±3	35 ±4	100 ±10	600	3002166
25 - 35	35 ±2	10 ±1	20 ±4	41 ±3	100 ±10	450	3002168
35 - 45	41 ±2	12 ±2	25 ±5	46 ±3	100 ±10	300	3002170
$m^3 / \text{box} = 0,27$		785 * 585 * 585 mm			8 on pallet		
45 - 60	57 ±2	14 ±2	30 ±5	60 ±4	100 ±10	500	3002173
60 - 80	71 ±2	15 ±2	45 ±5	66 ±5	100 ±10	400	3002175
80 - 100	92 ±3	18 ±2	60 ±10	68 ±5	100 ±10	280	3002178
$m^3 / \text{box} = 0,66$		1190 * 790 * 700 mm			3 on pallet		


NOMAPACK®
U MULTISHAPE

The high flexibility profile which adapts to every radius and angle thanks to the V-cut. The profile is supplied on coil for self-lengthening.



COLOUR
Standard blue

PACKAGING
On coils




Type	A mm	B mm	C mm	D mm	E mm	Packaging unit m	Item code
∞ 5 - 15 MS	16 ±2	7 ±1	3 ±3	29 ±2	150 ±10	480	3002242
∞ 15 - 25 MS	24 ±2	8 ±1	10 ±3	35 ±3	170 ±10	250	3002249
∞ 25 - 35 MS	35 ±2	10 ±1	20 ±4	40 ±3	170 ±10	150	3002255
∞ 35 - 45 MS	41 ±2	12 ±2	25 ±5	46 ±3	170 ±10	140	3002260
m³/∞ = 0,70		∞ 1200 * 460 mm		4 ∞ on pallet			



NOMAPACK®
**U TULIP
LONG LEGS**

The profile with extended legs for tapered corners and angles.



COLOUR
Standard blue

LENGTH
2.000 ±30 mm


PACKAGING
Lengths in boxes



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
∞ 0 - 30/70	29 ±2	14 ±1	0	94 ±6	100	3002262
35 30 - 40/70	38 ±2	14 ±1	26 ±10	84 ±5	100	3002266
m³/35 = 0,50		35 2040 * 590 * 390 mm		4 35 on pallet		

NOMAPACK® U TULIP STRETCH

The „original“ – proven profile with patented stretch system for widths up to 160 mm.



COLOUR
Standard blue


LENGTH
2.000 ±30 mm

PACKAGING
Lengths in boxes



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
 100 - 120 Stretch	120 - 160	21 ±2	100 - 140	80 ±5	44	3002290
m³/  = 0,50		 2040 * 590 * 390 mm		4  on pallet		

NOMAPACK® U TULIP STRETCH CORNER



COLOUR
Standard blue


PACKAGING
Pieces in boxes



Type	A mm	B mm	C mm	D mm	E = F mm	Packaging unit pcs	Item code
 100 - 120 Stretch	120 - 160	21 ±2	100 - 140	80 ±5	200 ±10	120	3002179
m³/  = 0,66		 1190 * 790 * 700 mm		3  on pallet			

NOMAPACK® U TULIP 45-70

The profile with longer legs for greater protection.



COLOUR
Standard blue

LENGTH
2.000 ±30 mm


PACKAGING
Lengths in boxes



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
 45 - 70	70 ±2	18 ±2	30 ±10	131 ±5	44	3002278
m³/  = 0,50		 2040 * 590 * 390 mm		4  on pallet		

NOMAPACK®
U CLASSIC


The „classic“ profile.



COLOUR
Standard blue

LENGTH
2.000 ±30 mm

PACKAGING
Lengths in boxes



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
∞ 10 - 20	17 ±2	10,5 ±1	5 ±3	30 ±5	420	3002246
35 20 - 35	31 ±2	12 ±1	12 ±4	45 ±5	210	3002259
35 30 - 45	41 ±2	15 ±2	20 ±5	48 ±5	160	3002275
∞ 45 - 65	60 ±2	15 ±2	30 ±8	57 ±5	92	3002277
∞ 60 - 85	80 ±3	15 ±2	40 ±10	58 ±5	90	3002281
m³/ = 0,50		2040 * 590 * 390 mm		4 on pallet		

NOMAPACK®
SAMPLE CASE

NOMAPACK® profiles always
within reach with the practical
sample case.



Type	Size mm	Item code
NOMAPACK® Sample case	515 x 330 x 225 mm	3052481

NOMAPACK® U EXTRA PADDING

The profile with an optimal padding for heavy goods. Perfect for single or stacked goods protection.

COLOUR


Standard blue

LENGTH

2.000 ±30 mm

PACKAGING

Lengths in boxes



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
∞ 15 - 25/80	20 ±1	30 ±2	7 ±5	83 ±3	90	3002294
∞ 30 - 38/60*	32 ±2	19 ±1,5	20 ±6	60 ±2	140	3002287
∞ 30 - 45/55	41 ±3	25 ±2	22 ±5	73 ±6	80	3002293
m³/∞ = 0,50		2040 * 590 * 390 mm			4 ∞ on pallet	



NOMAPACK® U 0-3

Special edge-protection for narrow products up to 3 mm. Prevents bends against sharp edges. The profile is supplied on coil for self-lengthening.

COLOUR

Grey

PACKAGING

On coils



Type	A mm	B mm	D mm	Packaging unit m	Item code
∞ 0 - 3	20 ±2	11 ±1	32 ±2	590	3002253
m³/∞ = 0,70		1200 * 460 mm			4 ∞ on pallet

NOMAPACK® U 0-6


Thanks to its high cushioning thickness, this is the ideal profile for sensitive goods.

COLOUR

Grey

PACKAGING

Lengths in boxes or on coils




Type	A mm	B mm	D mm	E mm	Packaging unit m	Item code
∞ 0 - 6/2 m¹	28,5 ±1	14,5 ±1	37 ±1	13 ±1	320	3002269
m³/∞ = 0,50		2040 * 590 * 390 mm			4 ∞ on pallet	
∞ 0 - 6	28,5 ±1	14,5 ±1	37 ±1	13 ±1	320	3002270
m³/∞ = 0,70		1200 * 460 mm			4 ∞ on pallet	

NOMAPACK®
U 6-12


The profile for products with a thickness from 6 to 12 mm. It is well-suited to products with bead or seals and is also available with an inside PE reinforcement. The profile is supplied on coil for self-lengthening.

COLOUR
Standard blue

PACKAGING
On coils



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
∞ 6 - 12	33 ±2	15 ±1	40 ±2	12 ±1	240	3002271
∞ 6 - 12 E-P*	33 ±2	15 ±1	40 ±2	12 ±1	240	3002272
∞ 6 - 12 CBC**	33 ±2	15 ±1	40 ±2	12 ±1	240	3002273
m³/∞ = 0,70		∞ 1200 * 460 mm		4 ∞ on pallet		




NOMAPACK®
U 8-12

A small profile with longer legs, ideal for ground glass edges. The profile is supplied on coil for self-lengthening.

COLOUR
Standard blue

PACKAGING
On coils



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
∞ 8 - 12	11,5 ±1	7 ±1	0 +3	30 ±5	550	3002244
m³/∞ = 0,70		∞ 1200 * 460 mm		4 ∞ on pallet		



NOMAPACK® U 12-18

The profile for sensitive edges
with a thickness from
12 to 18 mm.

COLOUR
Standard blue

LENGTH
2.000 ±30 mm


PACKAGING
Lengths in boxes



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
∞ 12 - 18	45 ±2	20 ±1	23 ±2	56 ±2	140	3002283
m³/📦 = 0,50		📦 2040 * 590 * 390 mm		4 📦 on pallet		

NOMAPACK® U 100-125/120

The special edge protection
for large products.



COLOUR
Standard blue

LENGTH
2.000 ±30 mm

PACKAGING
Lengths in boxes



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
100 - 125/120	124 ±4	19 ±2	90 ±20	123 ±3	32	3016555
m³/📦 = 0,50		📦 2040 * 590 * 390 mm		4 📦 on pallet		



NOMAPACK® U FEP

The versatile protective profile
with a particularly large
internal diameter.

COLOUR
Standard blue

LENGTH
2.000 ±30 mm

PACKAGING
Lengths in boxes



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
FEP	65 ±5	9 ±1	5 ±5	65 ±5	120	3002245
m³/📦 = 0,50		📦 2040 * 590 * 390 mm		4 📦 on pallet		


NOMAPACK®
U HD

The ideal profile for heavy objects that requires a high compressive strength.

COLOUR
Standard blue

LENGTH
2.000 ±30 mm

PACKAGING
Lengths in boxes



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
20 - 30	31 ±3	18 ±1	28 ±3	48 ±2	180	3002282
35 - 50	45 ±2	18 ±1	24 ±3	50 ±2	140	3002286
m³/ = 0,50		2040 * 590 * 390 mm		4 on pallet		

