

NOMA PACK®

NOMAPACK® WS

THE EDGE PROTECTOR FOR GLASS, SHEET METAL AND NARROW EDGES

NOMAPACK® WS is the innovative transport protector for windscreens and glass products. The additional inner hole reinforcement prevents sharp edges from piercing the profile and thus offers perfect protection for your product. An extensive range of tool accessories facilitate the processing of the NOMAPACK® WS profile.

- › Patented glass edge protection
- › Unique profiles, with inside reinforcement
- › Efficient protection against scratches and breaks

PRODUCT FEATURES:

- › PE-LD foam
- › Supplied as coils
- › Water absorption < 1 – vol.% after 40 days
- › Recyclable
- › The tolerance of the length of the coils is up to a maximum of ±2%

APPLICATIONS:

- › Glass edges
- › Windscreens
- › Heavy and sharp goods

NOMAPACK® WS 33X26 BC/CBC

Specially designed profile for windscreens without a rubber lip and for thicknesses from 3 to 6 mm. Available with or without inside reinforcement. The profile is supplied on coil for self-lengthening.

COLOUR



Standard blue

PACKAGING

On coils

COILS ON PALLET

4



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
∞ 33 x 26 BC	26 ±1	12 ±1	0-3	33 ±1	460	3002305
∞ 33 x 26 CBC*	26 ±1	12 ±1	0-3	33,5 ±1	460	3002306

m³/∞ = 0,70 ∞ 1200 * 460 mm



NOMAPACK® WS 33X26 HD CBC

Specially designed high density profile for windscreens without a rubber lip and for thicknesses from 3 to 6 mm. The profile is supplied on coil for self-lengthening.

COLOUR

Dark blue

PACKAGING

On coils

COILS ON PALLET


4



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
∞ 33 x 26 HD CBC*	26 ±1	12 ±1	0-3	33 ±1	460	3002301


m³/∞ = 0,70 ∞ 1200 * 460 mm





**NOMAPACK® WS
33X26 EDGE PAD BC**

The profile for glass, mirrors and sensitive metal parts. It efficiently protects fragile goods during transport. The profile is supplied on coil for self-lengthening.




- COLOUR**
Standard blue
- PACKAGING**
On coils
- COILS ON PALLET**
4



Type	A mm	B mm	D mm	E mm	Packaging unit m	Item code
∞ 33 x 26 E-P* BC	25 ±1	13 ±1	33 ±1	160 ±7	460	3002300
m ³ /🌀 = 0,70		🌀 1200 * 460 mm				

**NOMAPACK® WS
33X26 EDGE PAD CBC**

The Pre-cut profile with patented inner reinforcement which provides effective protection for glass, mirrors and sensitive metal parts. The profile is supplied on coil for self-lengthening.




- COLOUR**
Dark blue
- PACKAGING**
On coils
- COILS ON PALLET**
4



Type	A mm	B mm	C mm	D mm	E mm	Packaging unit m	Item code
∞ 33 x 26 E-P* CBC**	26 ±1	13 ±1	3	33 ±1	160 ±7	460	3002302
m ³ /🌀 = 0,70		🌀 1200 * 460 mm					

* E-P = Edge-Pad = V-Cut and perforations all 160 mm (±2,875 pcs/coil) ** CBC = with inside reinforcement (coextrusion)






NOMAPACK® WS CORNER 70° CB

The easy to fix corner with inside reinforcement. Other dimensions are available on request.

COLOUR	LENGTH
Blue	50x50 mm ±5 mm
PACKAGING	BOXES ON PALLET
Pieces in boxes	8





Type	A mm	B mm	C mm	D mm	Packaging unit pcs	Item code
∞ 50 x 50 CB*	26 ±1	12 ±1	2,5	33 ±1	2.000	3008936
m ³ / = 0,17		600 * 400 * 700 mm				

NOMAPACK® WS CORNER 90° CB

The easy to fix corner with inside reinforcement.

COLOUR	LENGTH
Standard blue	100x100 mm ±5 mm
PACKAGING	BOXES ON PALLET
Pieces in boxes	8



Type	A mm	B mm	C mm	D mm	Packaging unit pcs	Item code
∞ 100 x 100 CB*	26 ±1	12 ±1	3	33,5 ±1	775	3038245
m ³ / = 0,26		785 * 585 * 585 mm				



NMC reserves the right to update the product line or its technical features to the state-of-the-art technology anytime and without previous announcement. All given information is to the best of our knowledge. If you have any questions concerning technical details please contact the NMC information service. Any partial reproduction or reprint shall require our explicit approval.



* CB = with inside reinforcement (coextrusion)

NOMAPACK® WS 35X26 BC/CBC

The „Universal“ transport profile with a specially developed inner-shape that adapts itself to all types of windscreens with or without a rubber lip. The profile is supplied on coil for self-lengthening.

COLOUR


Standard blue

PACKAGING

On coils

COILS ON PALLET

4



Type	A	B	C	D	E	F	Packaging unit	Item code
	mm	mm	mm	mm	mm	mm	m	
∞ 35 x 26 BC	26 ±1	12 ±1	3	35 ±2	12 +1	16 +1	350	3002310
∞ 35 x 26 CBC*	26 ±1	12 ±1	3	35 ±2	12 +1	16 +1	350	3002311

m³/roll = 0,70

roll 1200 * 460 mm



NOMAPACK® WS 45X26 CBC

The transport profile that adapts itself to all types of windscreens without a rubber lip. The profile is supplied on coil for self-lengthening.

COLOUR


Standard blue

PACKAGING

On coils

COILS ON PALLET

4



Type	A	B	C	D	E	G	H	Packaging unit	Item code
	mm	mm	mm	mm	mm	mm	mm	m	
∞ 45 x 26 CBC*	26 ±1	10 ±1	3	46 ±2	11 ±1	22 ±1	10 ±1	290	3003842

m³/roll = 0,70

roll 1200 * 460 mm



NMC reserves the right to update the product line or its technical features to the state-of-the-art technology anytime and without previous announcement. All given information is to the best of our knowledge. If you have any questions concerning technical details please contact the NMC information service. Any partial reproduction or reprint shall require our explicit approval.



*CBC = with inside reinforcement (coextrusion)


NOMAPACK® WS 40X30 CBC

The ideal profile for windscreens with a rubber lip on the inner side. The profile is supplied on coil for self-lengthening.

COLOUR
Dark blue

COILS
ON PALLET

PACKAGING
On coils



Type	A	B	C	D	E	G	Packaging unit	Item code
	mm	mm	mm	mm	mm	mm	m	
∞ 40 x 30 CBC*	34 ±2	21 ±1	6	42 ±2	18 ±1	8 ±1	270	3002312

$m^3 / \text{coil} = 0,70$ $\text{coil} 1200 * 460 \text{ mm}$

NOMAPACK® WS 60X30 CBC

The ideal profile for windscreens with a seal in the outside part of the glass panel. The profile is supplied on coil for self-lengthening.

COLOUR
Standard blue

COILS
ON PALLET

PACKAGING
On coils



Type	A	B	C	D	E	H	Packaging unit	Item code
	mm	mm	mm	mm	mm	mm	m	
∞ 60 x 30 CBC*	31 ±2	10 ±1	5,6	61 ±3	16 ±1	13,5 ±1	200	3002314

$m^3 / \text{coil} = 0,70$ $\text{coil} 1200 * 460 \text{ mm}$

