NOMA® PROTECT

TEMPORARY BUILDING SITE PROTECTION

nmc SOLUTIONS FOR INDUSTRIES

BUILDING SITE DAMAGE?
COMPLETELY UNNECESSARY!

Scratches on door frames or stair rails, chipped tiles, dents in lift cages... Such unnecessary damage is caused by carelessness, whether on a new-build site or when doing refurbishment work in lived-in homes. And the resultant problems are quick to follow: angry clients, construction delays... and possibly even claims for damages.

But none of this is necessary! NMC has developed temporary protection foams – profiles made of resistant polyethylene able to efficiently absorb bumps, thereby protecting fittings such as stair rails, door and window frames and other vulnerable construction features. Applied to scaffolding, they reduce the danger of people getting injured.

NMC is a leading international company producing synthetic foams used in the automotive sector, as protective profiles in the logistics sector, as well as in the construction industry.

TEMPORARY STAIRS AND STAIR RAIL PROTECTION

Practical, easily and quickly installed NOMAPACK® U- and O- profiles in various sizes completely cover handrails, stair-posts, rungs and crossbars, absorbing shocks caused by falling objects, bumps and scratches and thereby protecting the fittings from unnecessary damage.

NOMAPACK® FEP:

Versatile protective profile with a particularly large internal diameter.

NOMAPACK® U:

The NOMAPACK® U-range consists of effective protection profiles for edges and curves of all types. Thanks to the various dimensions and thicknesses you'll always find suitable protection for stairs and stair rails at your construction site.

NOMA®PROTECT TPRO:

NOMA®PROTECT TEMPORARY PROTECTION 114 x 13/2 m is a solution specially designed to protect larger stair posts and door frames during construction, renovation or home-moving. Thanks to its flexibility, this pre-slit profile can be easily fixed.







NOMAPACK® O PRESLIT

The pre-slit profile for round bodies. Other dimensions are available on request.

LENGTH 2.000 mm ±30 mm

MATERIAL Grey PE-LD Foam – Recyclable



Type	A mm	B mm	m/📦	Item Code
18-9	19±3	9±1,5	330	3001041
76-13	78±4	13±2	40	3001062
m³/📦 = 0,50	📦 2040 * 590 * 390 mm			

NOMAPACK® U TULIP

The „original", proven and reliable profile.

LENGTH 2.000 mm ±30 mm

MATERIAL Blue PE-LD Foam – Recyclable



Type	A mm	B mm	C mm	D mm	m/📦	Item Code
5-15	16±2	7±1	3±3	29±2	560	3002243
m³/📦 = 0,50	📦 2040 * 590 * 390 mm					

NOMAPACK® U FEP

The versatile protective profile with a particularly large internal diameter.

LENGTH 2.000 mm ±30 mm

MATERIAL Blue PE-LD Foam – Recyclable



Type	A mm	B mm	C mm	D mm	m/📦	Item Code
FEP	65±5	9±1	5±5	65±5	120	3002245
m^3/📦 = 0,50	📦 2040 * 590 * 390 mm					

TEMPORARY PROTECTION

The easy to fix protection for door and window frames, delivered as pre-slit profile.

LENGTH 2.000 mm ±30 mm

MATERIAL Red PE-LD Foam – Recyclable



Type	A mm	B mm	m/📦	Item Code
114 x 13	114+6/-0	13±1	22	3003074
m^3/📦 = 0,50	📦 2040 * 590 * 390 mm			

TEMPORARY DOOR PROTECTION

The pre-slit profiles adapt to nearly all door frames, protecting them from scratches and costly repairs. Particularly suitable on building sites or when moving house. Installed at the turn of a hand, the protective profile covers the whole door frame. No need for any additional fixing.

NMC Door Frame Protection is also available as certified flame-resistant foam.

NOMA®PROTECT TPRO:

NOMA®PROTECT TEMPORARY PROTECTION 114 x 13/2 m is a solution specially designed to protect larger stair posts and door frames during construction, renovation or home-moving. Thanks to its flexibility, this pre-slit profile can be easily fixed.

NOMAPACK®
U TULIP STRETCH

The „original" – proven profile with patented stretch system for widths up to 160 mm.

LENGTH 2.000 mm ±30 mm

MATERIAL Blue PE-LD Foam – Recyclable



Type	A mm	B mm	C mm	D mm	m/📦	Item Code
100-120	120-160	21±2	100-140	80±3	44	3002290

m³/📦 = 0,50 📦 2040 * 590 * 390 mm

TEMPORARY
PROTECTION

The easy to fix protection for door and window frames, delivered as pre-slit profile.

LENGTH 2.000 mm ±30 mm

MATERIAL Red PE-LD Foam – Recyclable





Type	A mm	B mm	m/📦	Item Code
114 x 13	114+6/-0	13±1	22	3003074

m³/📦 = 0,50 📦 2040 * 590 * 390 mm

TEMPORARY WINDOW FRAME PROTECTION

Profiles in various shapes and sizes, made of resistant polyethylene foam, are available to protect window frames and sills. Thanks to their very high clamping force, they stick to every window frame and sill without any additional fixing needed. Cut to size on-site, the profiles fit every angle. The most efficient solution to avoiding damage and costly repairs, for example to sensitive natural stone window sills.

NOMAPACK® C BTH

The innovative protective profile for sensitive window sill edges and corners. NOMAPACK® C BTH profiles are easily installable thanks to their shape, clamping onto a window sill, whatever its shape.

NOMAPACK® U

The NOMAPACK® U-range consists of effective protection profiles for edges and curves of all types. Thanks to the various dimensions and thicknesses you'll always find suitable protection for window frames and sills at your building site.

NOMA®PROTECT TPRO

NOMA®PROTECT TEMPORARY PROTECTION 114 x 13/2 m is a solution specially designed to protect larger stair posts and door frames during construction, renovation or home-moving. Thanks to its flexibility, this pre-slit profile can be easily fixed.



TEMPORARY PROTECTION

The easy to fix protection for door and window frames, delivered as pre-slit profile.

LENGTH 2.000 mm ±30 mm

MATERIAL Red PE-LD Foam – Recyclable





Type	A mm	B mm	m/📦	Item Code
114 x 13	114+6/-0	13±1	22	3003074
m^3/📦 = 0,50	📦 2040 * 590 * 390 mm			

NOMAPACK® U TULIP

The „original", proven and reliable profile.

LENGTH 2.000 mm ±30 mm

MATERIAL Blue PE-LD Foam – Recyclable





Type	A mm	B mm	C mm	D mm	m/📦	Item Code
45-60	57±2	14±1	30±5	60±2	100	3002267
m^3/📦 = 0,50	📦 2040 * 590 * 390 mm					

NOMAPACK®
C BTH

The total protection for sensitive edges.

LENGTH 2.000 mm ±30 mm

MATERIAL Blue PE-LD Foam – Recyclable



Type	A mm	B mm	C mm	D mm	E mm	m/📦	Item Code
BTH	34±1	23±2	57±3	74±4	5,5±1	120	3002205

m^3/📦 = 0,50 📦 2040 * 590 * 390 mm



TEMPORARY CORNER PROTECTION

Right-angled edges and corners are particularly susceptible to being damaged by falling objects or by bumps. NOMAPACK® L-profiles provide perfect protection for all right-angled edges and corners: door openings, worktop edges, wall corners, tiled staircase edges, etc. The L-profiles are simply pressed onto the edges. They can be removed just as simply, and they are reusable. They are available with or without glue.

NOMAPACK® L

Fast, inexpensive and reliable protection.

LENGTH 2.000 mm ±30 mm

MATERIAL Blue PE-LD Foam – Recyclable





Type	A mm	B mm	C mm	m/📦	Item Code
75 x 75 - 10	75±3	75±3	10±1	210	3002210
m³/📦 = 0,50	📦 2040 * 590 * 390 mm				

NOMAPACK® L HMR

The profile with residue-free removable adhesive (white release).

LENGTH 2.000 mm ±30 mm

MATERIAL Blue PE-LD Foam – Recyclable



Type	A mm	B mm	C mm	m/📦	Item Code
75 x 75 -10 HMR	75±3	75±3	10±1	210	3002211
m³/📦 = 0,50	📦 2040 * 590 * 390 mm				

TEMPRO.
0 54 x 20/2,48m

A high-visibility colour profile delivered as pre-slit.

LENGTH 2.480 mm ±40 mm

MATERIAL Red PE-LD Foam – Recyclable





Type	A mm	B mm	m/📦	Item Code
54-20	54±2	20±1	60	3057150

m³/📦 = 0,50 📦 2040 * 590 * 390 mm

TEMPRO.
0 50 x 14/2m

A high-visibility colour profile delivered as pre-slit.

LENGTH 2.000 mm ±20 mm

MATERIAL Yellow PE-LD Foam – Recyclable





Type	A mm	B mm	m/📦	Item Code
50-14	50±5	14±3	70	3003892

m³/📦 = 0,50 📦 2040 * 590 * 390 mm

SCAFFOLDING

Foam profiles from the NMC Temporary Protection series are used to protect pedestrians and workers from hurting themselves on scaffolding erected in public spaces. The pre-slit profiles are just pushed over the scaffolding posts. They are made in high-vis colours, giving pedestrians advance warning. Should the latter nevertheless bump into the scaffolding, the foam will act as a shock-absorber, protecting them from bad head injuries and other harm.

NMC sa
Gert - Noël - Strasse · B - 4731 Eynatten
+32 87 85 85 00 · +32 87 85 85 11
info@nmc.eu

www.nmc-nomafoam.com

04/2022 · © NMC sa, 2022 · Resp. Publisher: NMC sa · Gert-Noël-Str. · B-4731 Eynatten