


NOMA PACK®



PRODUCT OVERVIEW



PROTECTIVE
PACKAGING

ENSURE YOUR
VALUABLE GOODS
ARRIVE IN
PERFECT CONDITION

www.nmc-nomafoam.com

NOMAPACK®

PROTECTIVE SOLUTION AND SHOCK ABSORPTION

As a part of the NMC group, NOMAPACK® provides a wide range of standard and custom-made foam solutions designed to safeguard goods throughout the entire supply chain and even beyond.

Due to their high resistance, NOMAPACK® profiles offer reliable protection against a number of potential hazards, including damp, temperature fluctuations and mechanical factors. They are as light as a feather and fits any shape of product, with no need for fixing aids, which means they save on both space and transport costs. Furthermore, NOMAPACK® solutions are designed to repel dirt and can be easily cleaned, rendering them highly hygienic.



SUSTAINABILITY

Premium quality, and sustainable development. These are the consistent traits that characterise every one of NOMAPACK® products.

By complying and going beyond statutory and regulatory requirements, we conduct our business in a responsible way, making our best to meet our needs without compromising the ability of future generations to meet their own: Our main production site in Eynatten has received an ISO 14001 certification: the international standard for environmental management systems. NMC s.a. Belgium has also been awarded Gold certification for 2025 by Ecovadis.

As a brand of the NMC Group (a family-owned company that places sustainability at the core of its operations), we have concentrated our efforts on three key areas: circularity, decarbonisation and empowerment.

CIRCULARITY – PROTECT OUR RESOURCES

Materials are sourced, processed and disposed of responsibly up and down the NOMAPACK® value chain.

- » Almost all of our NOMAPACK® products are manufactured with at

least **30% recycled content**. In order to be as transparent as possible, those products are labelled with our Centexbel (formerly PolyCert) seal.

- » Our profiles are recyclable
- » An internal recycling facility guarantees that almost 100% of our production waste and scraps are reused and that nothing goes to landfill.
- » We are committed to Operation Clean Sweep to implement best practices and necessary pellet loss prevention measures.
- » All our cardboard packaging are FSC Mix certified and contain more than 70% of recycled materials (trend is rising).

DECARBONISATION – PROTECT OUR CLIMATE

With innovative and technologically advanced installations, we strive to always work on designing durable products and maintaining environmentally friendly processes.

- » All our profiles made in Belgium are produced to 100% using renewable energy sources. On site, we are equipped with a large private photovoltaic installation.
- » Almost all of the water used in our production process is recovered,

recycled and reintegrated into the next production cycle.

- » As we aim to optimise and reduce our energy consumption and CO₂ emissions, we have set up an energy monitoring system.

EMPOWERMENT – PROTECT OUR PEOPLE

At NOMAPACK®, we put the wellbeing of our employees at the centre of our priorities.

- » We strive to implement a zero-harm culture as we are convinced that all work-related accidents and illnesses can and should be avoided.
- » Throughout their career, we value the know-how, expertise and skills of our colleagues and assure conditions in which our people can further develop their competences, grow professionally and operate in a pleasant and familiar working environment.
- » We aim to foster a sense of community within our workforce but also a larger sense of solidarity. By participating in events such as the Relay for Life from the Belgian Foundation against Cancer, we collectively raise funds and awareness for important causes around us.



PROFILES THAT PROTECT AND CARE.

TECHNICALLY SUPERIOR AND RESPONSIBLY PRODUCED.

If you want reliable protection against transport damage for your products, you cannot do without solutions made from plastic. With NOMAPACK®, you get foam profiles that outperform conventional cardboard and other materials.

Our production process adheres to the principle of a closed loop, with almost 100% of internal plastic waste being recycled. In addition, NOMAPACK® profiles are fully recyclable and labeled products contain at least 30% recycled material.

THE NEXT STEP – PROFILES CONTAINING AT LEAST 35% PCR MATERIAL.

We are gradually converting the formulation of our profiles to include at least 35% post-consumer recycled content (PCR). This reduces the use of virgin raw materials while actively promoting the circular economy – without compromising the proven NOMAPACK® quality. Our products remain as robust as ever, offering reliable protection and flexibility.

TRANSPARENCY THROUGH CERTIFICATION.

To ensure transparent communication, cartons containing profiles with at least 35% PCR material carry our 35% seal. Testing and certification are carried out by the independent institute Centexbel.

Did you know? From 2030 onwards, the EU Packaging and Packaging Waste Regulation (PPWR) will stipulate that all foam packaging profiles must contain at least 35% post-consumer recycled material. The aim of this measure is to reduce the use of new plastic and promote the circular economy.



INDEX

NOMAPACK® U

NOMAPACK® U TULIP	8
NOMAPACK® U TULIP CORNER	10
NOMAPACK® U MULTISHAPE	10
NOMAPACK® U TULIP LONG LEGS	11
NOMAPACK® U TULIP STRETCH	11
NOMAPACK® U TULIP STRETCH CORNER	12
NOMAPACK® U TULIP 45-70	12
NOMAPACK® U CLASSIC	12
NOMAPACK® U EXTRA PADDING	13
NOMAPACK® U 0-3	14
NOMAPACK® U 0-6	14
NOMAPACK® U 6-12	14
NOMAPACK® U 8-12	15
NOMAPACK® U 12-18	15
NOMAPACK® U 100-125/120	16
NOMAPACK® U FEP	16
NOMAPACK® U HD	16

NOMAPACK® WS

NOMAPACK® WS 33 x 26 CBC	18
NOMAPACK® WS 33 x 26 HD BC/CBC	20
NOMAPACK® WS 33 x 26 EDGE PAD BC	20
NOMAPACK® WS 33 x 26 EDGE PAD CBC	21
NOMAPACK® WS CORNER 70° CB	21
NOMAPACK® WS CORNER 90° CB	21
NOMAPACK® WS 35 x 26 BC/CBC	22
NOMAPACK® WS 45 x 26 CBC	22
NOMAPACK® WS 40 x 30 CBC	23
NOMAPACK® WS 60 x 30 CBC	23

NOMAPACK® L

NOMAPACK® L	24
NOMAPACK® L HMR	26
NOMAPACK® L 135 x 67-10/70 HMP	26
NOMAPACK® L 65 x 65-10	26

NOMAPACK® PAD

NOMAPACK® PAD	28
NOMAPACK® PAD HALFMOON	30
NOMAPACK® PAD 25 mm	31
NOMAPACK® GLASS PAD	31

U	8
U	10
U	10
U	11
U	11
U	12
U	12
U	12
U	13
U	14
U	14
U	14
U	15
U	15
U	16
U	16
U	16
U	17
WS	18
WS	20
WS	20
WS	21
WS	21
WS	21
WS	22
WS	22
WS	23
WS	23
WS	23
L	24
L	26
L	26
L	26
L	27
PAD	28
PAD	30
PAD	31
PAD	31
PAD	32





NOMAPACK® O	34
NOMAPACK® O UNSLIT 5 mm	○ 36
NOMAPACK® O SLIT 9 mm	○○ 36
NOMAPACK® O PRESLIT 13 mm	○○○ 37
NOMAPACK® O PRESLIT 20 mm	○○○○ 37
NOMAPACK® O ROUND	● 38
NOMAPACK® O ROUND CUT CORNER	⌋ 38
NOMAPACK® SYSTEM	40
NOMAPACK® SYSTEM	⌋ 42
NOMAPACK® SYSTEM HD	⌋ 42
NOMAPACK® C	44
NOMAPACK® C 25 x 10-10	□ 46
NOMAPACK® C Rectangular	■ 46
NOMAPACK® C BTH	⌋ 46
NOMA® PROTECT	47
NOMA® PROTECT TUFF PAD	○ 48
NOMA® PROTECT	○ 49
TEMPORARY PROTECTION	○ 49
NOMA® PROTECT WARNING PROFILES	^ 50
NOMAPACK® SAMPLE CASE	13
DIGITAL SHOWROOM	43
TECHNICAL FOAMS	53
CONTACT	54



NOMAPACK® U

PROTECTED AND UNIVERSALLY USABLE

The NOMAPACK® U range consists of effective protection profiles for edges and curves of all types. Thanks to the various dimensions and thicknesses and thanks to the possibility to develop bespoke profiles, you'll always find suitable protection for your product with NOMAPACK® U.

- » Edge protection from 2 to 160 mm
- » Easy fitting Multishape version

PRODUCT FEATURES:

- » PE-LD foam
- » Supplied as lengths or coils
- » Water absorption
< 1 – vol.% after 40 days
- » Recyclable
- » The tolerance of the length of the coils is up to a maximum of $\pm 2\%$

APPLICATIONS:


- » Tables and worktops
- » Shelves, storage units and other furniture parts
- » Mirrors, glass plates, ceramic
- » Works of art, framed pictures, etc.

THE EDGE PROTECTOR FOR EVERY APPLICATION



NOMAPACK® U TULIP


The „original“ – proven and reliable profile.



COLOUR
Standard blue

LENGTH
2.000 ±30 mm


PACKAGING
Lengths in boxes or on coils



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
5 - 15	16 ±2	7 ±1	3 ±3	29 ±4	560	3002243
15 - 25	24 ±2	8 ±1	10 ±3	35 ±4	320	3002250
25 - 35	35 ±2	10 ±1	20 ±4	40 ±4	240	3002257
35 - 45	41 ±2	12 ±2	25 ±5	46 ±4	180	3002261
45 - 60	57 ±2	14 ±2	30 ±5	60 ±4	100	3002267
60 - 80	71 ±2	15 ±2	45 ±5	66 ±5	80	3002279
80 - 100	92 ±3	18 ±2	60 ±10	68 ±5	72	3002288
100 - 120	120 ±4	21 ±2	98 ±10	80 ±5	44	3002289
m³/ = 0,50		2040 * 590 * 390 mm			4 on pallet	
5 - 15	16 ±2	7 ±1	3 ±3	29 ±4	500	3002241
15 - 25	24 ±2	8 ±1	10 ±3	35 ±4	220	3002248
m³/ = 0,70		1200 * 460 mm			4 on pallet	

NOMAPACK® U TULIP CORNER

The easy to fix corner protection, available in various cushioning thicknesses.



COLOUR
Standard blue

PACKAGING
Pieces in boxes




Type	A mm	B mm	C mm	D mm	E=F mm	Packaging unit pcs	Item code
5 - 15	16 ±2	7 ±1	3 ±3	29 ±4	100 ±10	900	3002163
15 - 25	24 ±2	8 ±1	10 ±3	35 ±4	100 ±10	600	3002166
25 - 35	35 ±2	10 ±1	20 ±4	41 ±3	100 ±10	450	3002168
35 - 45	41 ±2	12 ±2	25 ±5	46 ±3	100 ±10	300	3002170
m³/ = 0,27		785 * 585 * 585 mm			8 on pallet		
45 - 60	57 ±2	14 ±2	30 ±5	60 ±4	100 ±10	500	3002173
60 - 80	71 ±2	15 ±2	45 ±5	66 ±5	100 ±10	400	3002175
80 - 100	92 ±3	18 ±2	60 ±10	68 ±5	100 ±10	280	3002178
m³/ = 0,66		1190 * 790 * 700 mm			3 on pallet		

NOMAPACK®

U MULTISHAPE


The high flexibility profile which adapts to every radius and angle thanks to the V-cut. The profile is supplied on coil for self-lengthening.

**COLOUR**

Standard blue

PACKAGING

On coils




Type	A mm	B mm	C mm	D mm	E mm	Packaging unit m	Item code
∞ 5 - 15 MS	16 ±2	7 ±1	3 ±3	29 ±2	150 ±10	480	3002242
∞ 15 - 25 MS	24 ±2	8 ±1	10 ±3	35 ±3	170 ±10	250	3002249
∞ 25 - 35 MS	35 ±2	10 ±1	20 ±4	40 ±3	170 ±10	150	3002255
∞ 35 - 45 MS	41 ±2	12 ±2	25 ±5	46 ±3	170 ±10	140	3002260
m³/∞ = 0,70		∞ 1200 * 460 mm		4 ∞ on pallet			



NOMAPACK®

**U TULIP
LONG LEGS**

The profile with extended legs for tapered corners and angles.

**COLOUR**






Standard blue

LENGTH

2.000 ±30 mm


PACKAGING

Lengths in boxes

Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
 0 - 30/70	29 ±2	14 ±1	0	94 ±6	100	3002262
 30 - 40/70	38 ±2	14 ±1	26 ±10	84 ±5	100	3002266
m³/  = 0,50		 2040 * 590 * 390 mm			4  on pallet	

NOMAPACK® U TULIP STRETCH

The „original“ – proven profile with patented stretch system for widths up to 160 mm.







COLOUR
Standard blue


LENGTH
2.000 ±30 mm

PACKAGING
Lengths in boxes



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
 100 - 120 Stretch	120 - 160	21 ±2	100 - 140	80 ±5	44	3002290
m³/  = 0,50		 2040 * 590 * 390 mm		4  on pallet		





NOMAPACK® U TULIP STRETCH CORNER



COLOUR
Standard blue


PACKAGING
Pieces in boxes



Type	A mm	B mm	C mm	D mm	E = F mm	Packaging unit pcs	Item code
 100 - 120 Stretch	120 - 160	21 ±2	100 - 140	80 ±5	200 ±10	120	3002179
m³/  = 0,66		 1190 * 790 * 700 mm		3  on pallet			

NOMAPACK® U TULIP 45-70

The profile with longer legs for greater protection.







COLOUR
Standard blue

LENGTH
2.000 ±30 mm


PACKAGING
Lengths in boxes



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
 45 - 70	70 ±2	18 ±2	30 ±10	131 ±5	44	3002278
m³/  = 0,50		 2040 * 590 * 390 mm		4  on pallet		

NOMAPACK® U CLASSIC


The „classic“ profile.



COLOUR
Standard blue

LENGTH
2.000 ±30 mm

PACKAGING
Lengths in boxes



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
∞ 10 - 20	17 ±2	10,5 ±1	5 ±3	30 ±5	420	3002246
35 20 - 35	31 ±2	12 ±1	12 ±4	45 ±5	210	3002259
35 30 - 45	41 ±2	15 ±2	20 ±5	48 ±5	160	3002275
∞ 45 - 65	60 ±2	15 ±2	30 ±8	57 ±5	92	3002277
∞ 60 - 85	80 ±3	15 ±2	40 ±10	58 ±5	90	3002281
m³/☐ = 0,50		☐ 2040 * 590 * 390 mm			4 ☐ on pallet	

NOMAPACK® SAMPLE CASE

NOMAPACK® profiles always within reach with the practical sample case.



Type	Size mm	Item code
NOMAPACK® Sample case	515 x 330 x 225 mm	3052481



NOMAPACK® U EXTRA PADDING

The profile with an optimal padding for heavy goods. Perfect for single or stacked goods protection.

COLOUR
Standard blue

LENGTH
2.000 ±30 mm

PACKAGING
Lengths in boxes



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
∞ 15 - 25/80	20 ±1	30 ±2	7 ±5	83 ±3	90	3002294
∞ 30 - 38/60*	32 ±2	19 ±1,5	20 ±6	60 ±2	140	3002287
∞ 30 - 45/55	41 ±3	25 ±2	22 ±5	73 ±6	80	3002293
m³/∞ = 0,50		2040 * 590 * 390 mm			4 ∞ on pallet	




NOMAPACK® U 0-3

Special edge-protection for narrow products up to 3 mm. Prevents bends against sharp edges. The profile is supplied on coil for self-lengthening.

COLOUR
Grey

PACKAGING
On coils





Type	A mm	B mm	D mm	Packaging unit m	Item code
∞ 0 - 3	20 ±2	11 ±1	32 ±2	590	3002253
m³/∞ = 0,70		1200 * 460 mm			4 ∞ on pallet

NOMAPACK® U 0-6

Thanks to its high cushioning thickness, this is the ideal profile for sensitive goods.

COLOUR
Grey

PACKAGING
Lengths in boxes or on coils



Type	A mm	B mm	D mm	E mm	Packaging unit m	Item code
∞ 0 - 6/2 m¹	28,5 ±1	14,5 ±1	37 ±1	13 ±1	320	3002269
m³/∞ = 0,50		2040 * 590 * 390 mm			4 ∞ on pallet	
∞ 0 - 6	28,5 ±1	14,5 ±1	37 ±1	13 ±1	320	3002270
m³/∞ = 0,70		1200 * 460 mm			4 ∞ on pallet	

* Colour: grey

∞ Marked profiles are manufactured with at least 30% recycled material


35 Marked profiles contain at least 35% PCR material

NOMAPACK®
U 6-12

The profile for products with a thickness from 6 to 12 mm. It is well-suited to products with bead or seals and is also available with an inside PE reinforcement. The profile is supplied on coil for self-lengthening.

COLOUR
Standard blue

PACKAGING
On coils



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
∞ 6 - 12	33 ±2	15 ±1	40 ±2	12 ±1	240	3002271
∞ 6 - 12 E-P*	33 ±2	15 ±1	40 ±2	12 ±1	240	3002272
∞ 6 - 12 CBC**	33 ±2	15 ±1	40 ±2	12 ±1	240	3002273
m³/∞ = 0,70		∞ 1200 * 460 mm		4 ∞ on pallet		



NOMAPACK®
U 8-12

A small profile with longer legs, ideal for ground glass edges. The profile is supplied on coil for self-lengthening.

COLOUR
Standard blue

PACKAGING
On coils



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
∞ 8 - 12	11,5 ±1	7 ±1	0 +3	30 ±5	550	3002244
m³/∞ = 0,70		∞ 1200 * 460 mm		4 ∞ on pallet		



NOMAPACK® U 12-18

The profile for sensitive edges with a thickness from 12 to 18 mm.

COLOUR
Standard blue

LENGTH
2.000 ±30 mm


PACKAGING
Lengths in boxes



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
∞ 12 - 18	45 ±2	20 ±1	23 ±2	56 ±2	140	3002283
m³/📦 = 0,50		📦 2040 * 590 * 390 mm		4 📦 on pallet		

NOMAPACK® U 100-125/120


The special edge protection for large products.




COLOUR
Standard blue

LENGTH
2.000 ±30 mm

PACKAGING
Lengths in boxes



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
100 - 125/120	124 ±4	19 ±2	90 ±20	123 ±3	32	3016555
m³/📦 = 0,50		📦 2040 * 590 * 390 mm		4 📦 on pallet		




NOMAPACK® U FEP

The versatile protective profile with a particularly large internal diameter.

COLOUR
Standard blue

LENGTH
2.000 ±30 mm


PACKAGING
Lengths in boxes



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
FEP	65 ±5	9 ±1	5 ±5	65 ±5	120	3002245
m³/📦 = 0,50		📦 2040 * 590 * 390 mm		4 📦 on pallet		

NOMAPACK®
U HD

The ideal profile for heavy objects that requires a high compressive strength.



COLOUR
Standard blue

LENGTH
2.000 ±30 mm

PACKAGING
Lengths in boxes

Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
20 - 30	31 ±3	18 ±1	28 ±3	48 ±2	180	3002282
35 - 50	45 ±2	18 ±1	24 ±3	50 ±2	140	3002286
m³/ = 0,50		2040 * 590 * 390 mm		4 on pallet		





NOMAPACK® WS

THE EDGE PROTECTOR FOR GLASS, SHEET METAL AND NARROW EDGES

NOMAPACK® WS is the innovative transport protector for windscreens and glass products. The additional inner hole reinforcement prevents sharp edges from piercing the profile and thus offers perfect protection for your product. An extensive range of tool accessories facilitate the processing of the NOMAPACK® WS profile.

- » Patented glass edge protection
- » Unique profiles, with inside reinforcement
- » Efficient protection against scratches and breaks

PRODUCT FEATURES:

- » PE-LD foam
- » Supplied as coils
- » Water absorption
< 1 – vol.% after 40 days
- » Recyclable
- » The tolerance of the length of the coils is up to a maximum of $\pm 2\%$

APPLICATIONS:


- » Glass edges
- » Windscreens
- » Heavy and sharp goods

**BREAK-PROOF
FROM A TO B**




NOMAPACK® WS 33x26 CBC

Specially designed profile for windscreens without a rubber lip and for thicknesses from 3 to 6 mm. Available with or without inside reinforcement. The profile is supplied on coil for self-lengthening.



COLOUR
Standard blue


PACKAGING
On coils



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
∞ 33 x 26 CBC*	26 ±1	12 ±1	0-3	33,5 ±1	460	3002306
m³/∞ = 0,70	∞ 1200 * 460 mm		4 ∞ on pallet			

NOMAPACK® WS 33x26 HD BC/CBC

Specially designed high density profile for windscreens without a rubber lip and for thicknesses from 3 to 6 mm. The profile is supplied on coil for self-lengthening.



COLOUR
Dark blue

PACKAGING
On coils



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
∞ 33 x 26 HD BC	26 ±1	12 ±1	0-3	33 ±1	460	3002305
∞ 33 x 26 HD CBC*	26 ±1	12 ±1	0-3	33 ±1	460	3002301
m³/∞ = 0,70	∞ 1200 * 460 mm		4 ∞ on pallet			

*CBC = with inside reinforcement (coextrusion)

∞ Marked profiles are manufactured with at least 30% recycled material

35 Marked profiles contain at least 35% PCR material

NOMAPACK®
WS 33x26 EDGE PAD BC



The profile for glass, mirrors and sensitive metal parts. It efficiently protects fragile goods during transport. The profile is supplied on coil for self-lengthening.

COLOUR


Standard blue

PACKAGING

On coils



Type	A mm	B mm	D mm	E mm	Packaging unit m	Item code
∞ 33 x 26 E-P* BC	25 ±1	10 ±2	33 ±1	160 ±7	460	3002300
m³/∞ = 0,70		∞ 1200 * 460 mm		4 ∞ on pallet		


NOMAPACK®
WS 33x26 EDGE PAD CBC



The pre-cut profile with patented inner reinforcement which provides effective protection for glass, mirrors and sensitive metal parts. The profile is supplied on coil for self-lengthening.





COLOUR

Dark blue

PACKAGING

On coils



Type	A mm	B mm	C mm	D mm	E mm	Packaging unit m	Item code
 33 x 26 E-P* CBC**	26 ±1	13 ±1	3	33 ±1	160 ±7	460	3002302
m³/  = 0,70		 1200 * 460 mm				4  on pallet	

NOMAPACK®
WS CORNER 70° CB

The easy to fix corner with inside reinforcement. Other dimensions are available on request.

COLOUR



Dark blue

LENGTH

50x50 ±5 mm

PACKAGING


Pieces in boxes



Type	A mm	B mm	C mm	D mm	Packaging unit pcs	Item code
∞ 50 x 50 CB**	26 ±1	12 ±1	2,5	33 ±1	2.000	3008936
m³/∞ = 0,17		∞ 600 * 400 * 700 mm		8 ∞ on pallet		

NOMAPACK® WS CORNER 90° CB

The easy to fix corner with inside reinforcement.



COLOUR
Standard blue

LENGTH
100x100 ±10 mm

PACKAGING
Pieces in boxes





Type	A mm	B mm	C mm	D mm	Packaging unit pcs	Item code
∞ 100 x 100 CB*	26 ±1	12 ±1	3	33,5 ±1	775	3038245
m³/📦 = 0,26		📦 785 * 585 * 585 mm			8 📦 on pallet	

NOMAPACK® WS 35x26 BC/CBC


The „universal“ transport profile with a specially developed inner-shape that adapts itself to all types of windscreens with or without a rubber lip. The profile is supplied on coil for self-lengthening.

COLOUR
Standard blue

PACKAGING
On coils



Type	A mm	B mm	C mm	D mm	E mm	F mm	Packaging unit m	Item code
∞ 35 x 26 BC	26 ±1	12 ±1	3	35 ±2	12 +1	16 +1	350	3002310
∞ 35 x 26 CBC*	26 ±1	12 ±1	3	35 ±2	12 +1	16 +1	350	3002311
m³/🌀 = 0,70		🌀 1200 * 460 mm			4 🌀 on pallet			



*CB/CBC = with inside reinforcement [coextrusion]

35 Marked profiles contain at least 35% PCR material



∞ Marked profiles are manufactured with at least 30% recycled material

NOMAPACK® WS 45x26 CBC


The transport profile that adapts itself to all types of windscreens without a rubber lip. The profile is supplied on coil for self-lengthening.

COLOUR
Standard blue

PACKAGING
On coils



Type	A mm	B mm	C mm	D mm	E mm	G mm	H mm	Packaging unit m	Item code
∞ 45 x 26 CBC*	26 ±1	10 ±1	3	46 ±2	11 ±1	22 ±1	10 ±1	290	3003842
m³/∞ = 0,70		∞ 1200 * 460 mm					4 ∞ on pallet		



NOMAPACK® WS 40x30 CBC

The ideal profile for windscreens with a rubber lip on the inner side. The profile is supplied on coil for self-lengthening.

COLOUR
Dark blue

PACKAGING
On coils





Type	A mm	B mm	C mm	D mm	E mm	G mm	Packaging unit m	Item code
∞ 40 x 30 CBC*	34 ±2	21 ±1	6	42 ±2	18 ±1	8 ±1	270	3002312
m³/∞ = 0,70		∞ 1200 * 460 mm					4 ∞ on pallet	

NOMAPACK® WS 60x30 CBC

The ideal profile for windscreens with a seal in the outside part of the glass panel. The profile is supplied on coil for self-lengthening.

COLOUR
Standard blue

PACKAGING
On coils



Type	A mm	B mm	C mm	D mm	E mm	H mm	Packaging unit m	Item code
∞ 60 x 30 CBC*	31 ±2	10 ±1	5,6	61 ±3	16 ±1	13,5 ±1	200	3002314
m³/∞ = 0,70		∞ 1200 * 460 mm					4 ∞ on pallet	

*CBC = with inside reinforcement (coextrusion)



NOMAPACK® L

NOMAPACK® L provides reliable protection for corners and edges made of glass, wood, plastic or metal.

- » Available in various lengths and thicknesses
- » With or without adhesive

PRODUCT FEATURES:

- » PE-LD foam
- » Supplied as lengths
- » Water absorption
< 1 – vol.% after 40 days
- » Recyclable

APPLICATIONS:

- » Corners and edges
- » Narrow and scratch-sensitive goods
- » Can be used in shrinking tunnels

**THE RELIABLE
PROTECTION
FOR CORNERS
AND EDGES**



NOMAPACK®



L

Fast, inexpensive and reliable protection.

COLOUR
Standard blue

LENGTH
2.000 ±30 mm

PACKAGING
Lengths in boxes



Type	A mm	B mm	C mm	Packaging unit m	Item code
50 x 50 - 6	50 ±2	50 ±2	6 ±1	480	3002207
75 x 75 - 10	75 ±3	75 ±3	10 ±1	210	3002210
m³/ = 0,50		2040 * 590 * 390 mm		4 on pallet	



NOMAPACK®



L HMR

The profile with residue-free removable adhesive (white release).

COLOUR
Standard blue

LENGTH
2.000 ±30 mm

PACKAGING
Lengths in boxes




Type	A mm	B mm	C mm	Packaging unit m	Item code
50 x 50 - 6 HMR*	50 ±2	50 ±2	6 ±1	480	3002208
75 x 75 - 10 HMR*	75 ±3	75 ±3	10 ±1	210	3002211
m³/ = 0,50		2040 * 590 * 390 mm		4 on pallet	

NOMAPACK®

L 135x67-10/70 HMP

The easy to fix profile with permanent adhesive.



COLOUR
Standard blue

LENGTH
70 ±10 mm

PACKAGING
Pieces in boxes



Type	A mm	B mm	C mm	D mm	E mm	F mm	Packaging unit pcs	Item code
L 135 x 67 HMP**	135 ±4	63 ±2	10 ±1	17 ±1,5	29	40	1200	3008999
m³/ = 0,66		1190 * 790 * 700 mm		3 on pallet				

Glue storage conditions: away from UV • Storage T°: 5-35 °C • Dry and dust free • 1 year from production date

We recommend the adequate tests be made in your laboratory, plant or otherwise to determine if this product meets all your specific requirements. The utilization of the goods shall thus be at the purchaser's own risk. The seller should refuse any responsibility regarding his intervention for direct and/or indirect damage potentially arising from this particular use. Only in case of product default, the seller shall not be liable for damages in excess of the purchase price of the product.


*HMR = removable adhesive **HMP = permanent adhesive

Marked profiles are manufactured with at least 30% recycled material

Marked profiles contain at least 35% PCR material

NOMAPACK®
L 65x65-10


The easy to fix Rim Profile.







COLOUR
Standard blue

LENGTH
Welded ring suited for
16" to 19" rims

PACKAGING
Pieces in boxes



Type	A mm	B mm	C mm	Packaging unit pcs	Item code
 L 65 x 65 - 10*	65 ±5	65 ±5	10 ±2	60	3037217
m³/  = 0,27	 785 * 585 * 585 mm			8  on pallet	



*Other dimensions on request



NOMAPACK® PAD

NOMAPACK® PAD is a spacer available in various dimensions with removable or permanent glue. It is a spacer pad for separating sensitive goods or fixing them in place. The pads are pre-punched so that the desired length can be cut off simply and cleanly.

- » Available with or without adhesive in various lengths and thicknesses

PRODUCT FEATURES:

- » PE-LD foam
- » Supplied as lengths
- » Water absorption
< 1 – vol.% after 40 days
- » Recyclable

APPLICATIONS:


- » Cushioning
- » Spacing
- » Fixation

**TRANSPORT
CUSHION
WITH BIG
IMPACT**



NOMAPACK® PAD


The spacer profile with removable (HMR) or permanent (HMP) adhesive. It has a good compression set.



COLOUR
Standard blue

LENGTH
1.150 ±20 mm

PACKAGING
Pieces in boxes



Type	A mm	B mm	C mm	Packaging unit pcs	Packaging unit* m	Item code
Removable adhesive (white Release)						
∞ 50 x 10 HMR	50 ±3	10 ±2	50 ±8**	16.100	805	3002213
∞ 50 x 20 HMR	50 ±3	20 ±2	50 ±8**	10.350	518	3002215
∞ 50 x 50 HMR	50 ±3	50 ±3	50 ±8	4.025	201	3002232
∞ 65 x 25 HMR	65 ±3	25 ±2	64 ±8	4.950	317	3002219
∞ 100 x 25 HMR	100 ±3	25 ±2	96 ±8	2.160	207	3002220
∞ 100 x 50 HMR	100 ±3	50 ±3	96 ±8	1.176	113	3011417
Permanent adhesive (transparent Release)						
∞ 50 x 10 HMP	50 ±3	10 ±2	50 ±8**	16.100	805	3002214
∞ 50 x 20 HMP	50 ±3	20 ±2	50 ±8**	10.350	518	3002216
∞ 50 x 50 HMP	50 ±3	50 ±3	50 ±8	4.025	201	3002235
∞ 65 x 25 HMP	65 ±3	25 ±2	64 ±8	4.950	317	3002223
∞ 100 x 25 HMP	100 ±3	25 ±2	96 ±8	2.160	207	3002224
∞ 100 x 50 HMP	100 ±3	50 ±3	96 ±8	1.176	113	3011418
<div> <div>m³/📦 = 0,68</div> <div>📦 1190 * 790 * 700 mm</div> <div>3 📦 on pallet</div> </div>						



Glue storage conditions: away from UV • Storage T°: 10-40 °C • Dry and dust free • 1 year from production date

We recommend the adequate tests be made in your laboratory, plant or otherwise to determine if this product meets all your specific requirements. The utilization of the goods shall thus be at the purchaser's own risk. The seller should refuse any responsibility regarding his intervention for direct and/or indirect damage potentially arising from this particular use. Only in case of product default, the seller shall not be liable for damages in excess of the purchase price of the product.

*values are rounded up or down **First and last piece might be out of tolerance (1 piece = A x B x C)


35 Marked profiles contain at least 35% PCR material

∞ Marked profiles are manufactured with at least 30% recycled material

NOMAPACK®

PAD HALFMOON

The spacer profile with removable (D) or permanent (P) adhesive.



COLOUR
Standard blue

LENGTH
1.000 ±20 mm

PACKAGING
Pieces in boxes




Type	A mm	B mm	Packaging unit pcs	Packaging unit m	Item code
Removable adhesive tape (white Release)					
∞ 40 D	42 ±1	50	2.000	100	3002225
∞ 50 D	51 ±2	50	1.200	60	3002229
∞ 60 D	58 ±2	50	1.000	50	3002236
Permanent adhesive tape (yellow Release)					
∞ 40 P	42 ±1	50	2.000	100	3002228
∞ 50 P	51 ±2	50	1.200	60	3002233
∞ 60 P	58 ±2	50	1.000	50	3002237
m³/📦 = 0,25		📦 1020 * 600 * 400 mm		8 📦 on pallet	



NOMAPACK®

PAD 25 mm

The spacer profile with removable (D) or permanent (P) adhesive.



COLOUR
Standard blue

LENGTH
1.000 ±20 mm

PACKAGING
Pieces in boxes



Type	A mm	B mm	C mm	D mm	Packaging unit pcs	Packaging unit m	Item code
Removable adhesive tape (white Release)							
25/1m D 50 mm	55 ±4	41 ±2	25 ±2	50 ±5	3.200	160	3002217
Permanent adhesive tape (yellow Release)							
25/1m P 50 mm	55 ±4	41 ±2	25 ±2	50 ±5	3.200	160	3002222
m³/📦 = 0,25		📦 1020 * 590 * 390 mm		8 📦 on pallet			

Glue storage conditions: away from UV • Storage T°: 10-40 °C • Dry and dust free • 1 year from production date

We recommend the adequate tests be made in your laboratory, plant or otherwise to determine if this product meets all your specific requirements. The utilization of the goods shall thus be at the purchaser's own risk. The seller should refuse any responsibility regarding his intervention for direct and/or indirect damage potentially arising from this particular use. Only in case of product default, the seller shall not be liable for damages in excess of the purchase price of the product.

NOMAPACK® GLASS PAD

THE PUNCTIFORM TRANSPORT PROTECTION


NOMAPACK® Glass Pads protect glass panes or panels against scratches, cracks and breakages during any type of transport or storage. NOMAPACK® Glass Pad simply holds due to its suction force and does not leave any residue or trace behind.

PRODUCT FEATURES:

- » XLPa foam with a self-adhesive white foam layer
- » Supplied as pieces
- » Available in different dimensions and thicknesses

APPLICATIONS:



- » Distance holders to protect high-polished and sensitive surfaces



**SELF-ADHESIVE
SPACING PADS**

NOMAPACK® GLASS PAD

The spacer pad between
glass panels.



COLOUR

Grey

PACKAGING

Pieces in boxes


Type	A mm	B mm	C mm	Packaging unit pcs	Item code
45x45x 8+2	45 ±1	8 ±1	45 ±1	2.500	3012433
45x45x10+2	45 ±1	10 ±1	45 ±1	2.500	3012435
45x45x12+2	45 ±1	12 ±1	45 ±1	2.500	3012436
$m^3 / \text{box} = 0,13$		$\text{box } 600 * 600 * 360 \text{ mm}$		10 on pallet	

The following NOMAPACK® Glass Pads are only available with a minimum order quantity of 50.000 pieces.

20x20x 8+2	20 ±1	8 ±1	20 ±1	2.500	3002335
$m^3 / \text{box} = 0,05$		$\text{box } 390 * 395 * 310 \text{ mm}$		10 on pallet	
20x20x10+2	20 ±1	10 ±1	20 ±1	2.500	3009231
20x20x12+2	20 ±1	12 ±1	20 ±1	2.500	3009232
$m^3 / \text{box} = 0,08$		$\text{box } 610 * 370 * 370 \text{ mm}$		10 on pallet	
45x25x 8+2	25 ±1	8 ±1	45 ±1	2.500	3003720
45x25x10+2	25 ±1	10 ±1	45 ±1	2.500	3002337
45x25x12+2	25 ±1	12 ±1	45 ±1	2.500	3009235
$m^3 / \text{box} = 0,13$		$\text{box } 600 * 600 * 360 \text{ mm}$		10 on pallet	



The pads are packed in bulk in cardboard boxes / two pads glued to each other. Other sizes and colors are available on request with a minimum order quantity and a corresponding delivery period. We recommend the adequate tests be made in your laboratory, plant or otherwise to determine if this product meets all your specific requirements. The utilization of the goods shall thus be at the purchaser's own risk. The seller should refuse any responsibility regarding his intervention for direct and/or indirect damage potentially arising from this particular use. Only in case of product default, the seller shall not be liable for damages in excess of the purchase price of the product.



NOMAPACK® O

NOMAPACK® O offers an extensive selection of round profiles in various diameters and wall thicknesses, which have been specially developed for the protection of round bodies or elongated items.

- » Adaptable to most round bodies
- » Special and total protection for sensitive items

PRODUCT FEATURES:

- » PE-LD foam
- » Density from 20 kg/m³ to 35 kg/m³
- » Supplied as lengths
- » Water absorption < 1 – vol.% after 40 days
- » Recyclable

APPLICATIONS:

- » Pieces of furniture
- » Bicycle frames
- » Exercise machines



**THE
ALL-ROUND
PROTECTION**



NOMAPACK® O UNSLIT 5 mm

The standard profile for round bodies. Other dimensions are available on request.



COLOUR
Grey

LENGTH
2.000 ±30 mm

PACKAGING
Lengths in boxes

Type	A mm	B mm	Packaging unit m	Item code
∞ 15 - 5	16 +3	5 ±1	240	3054510
∞ 18 - 5	19 +3	5 ±1	200	3054511
∞ 22 - 5	23 +3	5 ±1	160	3054512
∞ 28 - 5	29 +3	5 ±1	120	3054513
∞ 35 - 5	36 +3	5 ±1	80	3054514
m³/📦 = 0,24		📦 2040 * 390 * 290 mm		8 📦 on pallet

NOMAPACK® O SLIT 9 mm

The profile that can be immediately clipped upon the object to protect.



COLOUR
Grey

LENGTH
2.000 ±30 mm

PACKAGING
Lengths in boxes

Type	A mm	B mm	Packaging unit m	Item code
∞ 15 - 9	16 +3	9 ±1,5	380	3002517
∞ 18 - 9	19 +3	9 ±1,5	330	3002321
∞ 22 - 9	23 +3	9 ±1,5	250	3002322
∞ 28 - 9	29 +3	9 ±1,5	190	3002324
∞ 35 - 9	36 +3	9 ±1,5	150	3002516
∞ 42 - 9	44 +4	9 ±1,5	110	3002419
∞ 48 - 9	50 +4	9 ±1,5	90	3054515
∞ 54 - 9	56 +4	9 ±1,5	70	3054516
∞ 60 - 9	62 +4	9 ±1,5	66	3054518
m³/📦 = 0,50		📦 2040 * 590 * 390 mm		4 📦 on pallet

NOMAPACK®
O PRESLIT

The pre-slit profile for round bodies.
 Other dimensions are available on
 request.



COLOUR
 Grey

LENGTH
 2.000 ±30 mm


PACKAGING
 Lengths in boxes



Type	A mm	B mm	Packaging unit m	Item code
NOMAPACK® O PRESLIT 13 mm				
∞ 15 - 13	16 +3	13 ±2	256	3054519
∞ 18 - 13	19 +3	13 ±2	220	3054521
∞ 22 - 13	23 +3	13 ±2	180	3054523
∞ 28 - 13	29 +3	13 ±2	140	3054525
∞ 35 - 13	36 +3	13 ±2	120	3054528
42 - 13	44 +4	13 ±2	90	3001058
48 - 13	50 +4	13 ±2	70	3001059
54 - 13	56 +4	13 ±2	66	3001060
60 - 13	62 +4	13 ±2	48	3001061
76 - 13	78 +4	13 ±2	40	3001062
89 - 13	91 +4	13 ±2	30	3001063
102 - 13	105 +5	13 ±2	24	3001064
114 - 13	117 +5	13 ±2	22	3001065
NOMAPACK® O PRESLIT 20 mm				
15 - 20	16 +3	20 ±2,5	134	3001067
18 - 20	19 +3	20 ±2,5	126	3001068
22 - 20	23 +3	20 ±2,5	108	3001069
28 - 20	29 +3	20 ±2,5	96	3001070
35 - 20	36 +3	20 ±2,5	70	3001071
42 - 20	44 +4	20 ±2,5	60	3001072
48 - 20	50 +4	20 ±2,5	48	3001073
54 - 20	56 +4	20 ±2,5	48	3001074
60 - 20	62 +4	20 ±2,5	40	3001075
76 - 20	78 +4	20 ±2,5	26	3001076
89 - 20	91 +4	20 ±2,5	24	3047393
102 - 20	105 +5	20 ±2,5	20	3047394
114 - 20	117 +5	20 ±2,5	14	3047396
m³ / = 0,50 2040 * 590 * 390 mm 4 on pallet				

NOMAPACK® O ROUND

The protective padding for storage and transport. It is also suitable for filling static and dynamic joints with varying degrees of expansions.



COLOUR
White

PACKAGING
Lengths in boxes




Type	A mm	Packaging unit m	Item code
R 75 mm/2,2 m*	75 ±3	171,6	3004076
R 100 mm/2,2 m*	100 ±4	92,4	3004077
m ³ / = 1,10	2290 * 780 * 590 mm	2 on pallet	
R 150 mm/1,85 m**	153 ±4	14,8	3012186
m ³ / = 0,50	2040 * 590 * 390 mm	4 on pallet	

NOMAPACK® O Round R 150 mm in 2,75 m length (Item code 3003708) is only available with a minimum order quantity of 5.632 m.

NOMAPACK® O ROUND CUT CORNER

The easy to fix protection for corners.



COLOUR
White

PACKAGING
Pieces in boxes



Type	A mm	B mm	Packaging unit pcs	Item code
100 - 10	100 ±3	10	1.900	3002519
100 - 15	100 ±3	15	1.500	3002518
100 - 20	100 ±3	20	1.100	3003593
75 - 10	75 ±3	10	3.900	3003592
75 - 15	75 ±3	15	2.750	3002520
75 - 20	75 ±3	20	2.000	3002160
m ³ / = 0,48	1200 * 800 * 500 mm	4 on pallet		

*2.200 mm ±50 mm **1.850 mm ±50 mm

Marked profiles are manufactured with at least 30% recycled material

Marked profiles contain at least 35% PCR material

CUSTOM SOLUTION? NO PROBLEM.



When „standard“ doesn't cut it, that's when we shine. We develop your individual protection – precise, creative, and technically spot-on. Shape, function or technology: what others see as a challenge is our daily routine.

Don't hesitate to contact us –
we look forward to your inquiry!

info@nmc.eu



NOMAPACK® SYSTEM

NOMAPACK® System, the efficient transport protection for sensitive goods. Thanks to its directly extruded, specially developed L-shape with integrated holes, it offers ideal protection against impacts and vibration and is easy to process into a shock absorbing frame.


- » Outstanding protection against shocks and vibrations
- » Tailor-made, adaptable and customer-oriented solutions

PRODUCT FEATURES:

- » PE-LD foam
- » Density from 24 kg/m³ to 34 kg/m³
- » Supplied as lengths
- » Water absorption < 1 – vol.% after 40 days
- » Recyclable
- » Cushioning curves available on demand

APPLICATIONS:



- » High-tech products
- » Medical devices



**THE FRAME
FOR SENSITIVE
GOODS**

NOMAPACK® SYSTEM

The frame profile for light goods which is specially suitable for sensitive surfaces.



COLOUR

Standard blue

LENGTH

2.000 ±30 mm


PACKAGING

Lengths in boxes

Type	A mm	B mm	C mm	D mm	E °	Packaging unit m	Item code
30 mm	30 ±2	63 ±3	63 ±3	30 ±2	93° ±3	140	3002187
40 mm	40 ±2	85 ±3	85 ±3	40 ±2	93° ±3	84	3002189
50 mm	50 ±2	98 ±3	98 ±3	50 ±2	93° ±3	56	3002193
m³/ = 0,50		2040 * 590 * 390 mm		4 on pallet			

NOMAPACK® SYSTEM HD

The frame profile for heavy goods



COLOUR

Standard blue

LENGTH

2.000 ±30 mm

PACKAGING

Lengths in boxes


Type	A mm	B mm	C mm	D mm	E °	Packaging unit m	Item code
20 mm	21 ±1	52 ±2	52 ±2	21 ±1	90° ±3	224	3002184
30 mm	30 ±2	63 ±3	63 ±3	30 ±2	90° ±3	140	3002186
40 mm	40 ±2	80 ±2	80 ±2	40 ±2	93° ±3	84	3002188
50 mm	50 ±2	97 ±3	97 ±3	50 ±1	93° ±3	56	3002192
m³/ = 0,50		2040 * 590 * 390 mm		4 on pallet			

TECHNICAL FOAMS DIGITAL SHOWROOM



Our showroom offers you a digital tour of the NOMAFOAM®'s products and services. This includes application examples as well as product descriptions, videos, certificates and other materials.

showroom.nmc-nomafoam.com



NOMAPACK® C

NOMAPACK® C protects corners and edges reliably. The BTH-profile has been specially designed to protect bath ceramics and offers customized solutions for many different applications.

NOMAPACK® C is additionally suitable for use as a spacer for industrial storage.

PRODUCT FEATURES:

- » PE-LD foam
- » Supplied as lengths
- » Water absorption
< 1 – vol.% after 40 days
- » Recyclable

APPLICATIONS:


- » Bathroom ceramics
- » Distance holder to protect high-polished and sensitive surfaces
- » Total protection for long and narrow goods

THE CUSTOMER-SPECIFIC PACKAGING PROFILE



NOMAPACK® C 25x10-10

The flexible all-round protection
for long and narrow items.



COLOUR
Standard blue

LENGTH
2.000 ±30 mm

PACKAGING
Lengths in boxes



Type	A mm	B mm	C mm	Packaging unit m	Item code
∞ 25 x 10 - 10	43 ±1	30 ±2	10 ±1	312	3002197
m³/📦 = 0,50		📦 2040 * 590 * 390 mm		4 📦 on pallet	

NOMAPACK® C RECTANGULAR

A small spacer for separating
sensitive surfaces.



COLOUR
Standard blue

LENGTH
2.000 ±30 mm


PACKAGING
Lengths in boxes



Type	A mm	B mm	Packaging unit m	Item code
∞ 50 x 50	50 ±3	50 ±3	154	3002202
∞ 100 x 50	98 ±3	50 ±3	80	3002195
m³/📦 = 0,50		📦 2040 * 590 * 390 mm		4 📦 on pallet

NOMAPACK® C BTH

The total protection for sensitive edges.






COLOUR
Standard blue

LENGTH
2.000 ±30 mm

PACKAGING
Lengths in boxes



Type	A mm	B mm	C mm	D mm	E mm	Packaging unit m	Item code
BTH	34 ±1	23 ±2	57 ±3	74 ±4	5,5 ±1	120	3002205
m³/  = 0,50		 2040 * 590 * 390 mm				4  on pallet	

NOMA® PROTECT

Whether impact protection profiles or co-extruded round foams, the diverse products of NOMA® PROTECT prevent shocks and injuries by offering numerous application possibilities for the protection of people and goods.



**LONG-LASTING
PROTECTION IN
EVERYDAY USE**



NOMA® PROTECT TUFF PAD


NOMA® PROTECT Tuff Pad are coextruded round foams with a reinforced outer skin which offers various applications. Ideal to protect our kids while playing and climbing on playgrounds, trampolines or other game areas. NOMA® PROTECT Tuff Pad are always there to prevent injuries and crushes. They cover the complete metallic structure and provide a long term protection.

PRODUCT FEATURES:

- » PE-LD foam / Outer skin PE-LD
- » Supplied as lengths
- » Water absorption < 1 – vol.% after 40 days
- » Recyclable
- » Relatively UV resistant
- » Conform with norm EN 71-3
- » Pre-slit for easy use
- » Other colours on request
- » Washable

APPLICATIONS:

- » Playgrounds, kids playing areas and climbing frames
- » Scaffolding
- » Horse trailer – bar coating
- » Ski areas/ski lifts
- » Diverse



LENGTH

2.480 ±40 mm

PACKAGING

Lengths in boxes



Type	Colour	A mm	B mm	Packaging unit m	Item code
52 - 17	orange	52 ±1	17 ±1	66,96	3003082
52 - 17	yellow	52 ±1	17 ±1	66,96	3003083
52 - 17	green	52 ±1	17 ±1	66,96	3003085
52 - 17	light brown	52 ±1	17 ±1	66,96	3003988
52 - 17	dark brown	52 ±1	17 ±1	66,96	3003990
52 - 17	silver	52 ±1	17 ±1	66,96	3003787
52 - 17	light green	52 ±1	17 ±1	66,96	3003786
52 - 17	ice blue	52 ±1	17 ±1	66,96	3003858
52 - 17	pink	52 ±1	17 ±1	66,96	3003788
52 - 17	violet	52 ±1	17 ±1	66,96	3003789
52 - 17	black	52 ±1	17 ±1	66,96	3003086
52 - 17	blue	52 ±1	17 ±1	66,96	3003932
52 - 17	red	52 ±1	17 ±1	66,96	3003859
52 - 17	cyan	52 ±1	17 ±1	66,96	3043433*
52 - 17	purple	52 ±1	17 ±1	66,96	3045069*
52 - 17	turquoise	52 ±1	17 ±1	66,96	3045458*
52 - 17	white	52 ±1	17 ±1	66,96	3045455*
m ³ / = 0,60		2540 * 590 * 390 mm		4 on pallet	

*On request

NOMA® PROTECT

TEMPORARY PROTECTION 114x13/2 m

NOMA® PROTECT TEMPORARY Protection 114 x 13/2 m is a solution specially designed to protect door frames and edges whilst construction, renovation or move-around,... Thanks to its flexibility, this pre-slit profile can be easily fixed.

PRODUCT FEATURES:

- » PE-LD foam
- » Supplied as lengths
- » Water absorption < 1 – vol. % after 40 days
- » Recyclable
- » Easy to fix

APPLICATIONS:

- » Adheres thanks to its natural clamping force and can be reused many times
- » Protects punctually and prevents from moving damages
- » Can be used on any standard door frame
- » Is available in other sizes and colors (on request)

**COLOUR**

Red

LENGTH

2.000 ±30 mm

PACKAGING

Lengths in boxes

Type	A mm	B mm	Packaging unit m	Item code
114 x 13	114 +6/-0	13 ±1	22	3003074
m³/ = 0,50	2040 * 590 * 390 mm		4 on pallet	



NOMA® PROTECT WARNING PROFILES

NOMA® PROTECT WARNING PROFILES effectively prevent dangers thanks to their striking signal color and provide reliable impact protection through their flexibility. The high-performance adhesive used keeps the profile in place even under difficult conditions.


PRODUCT FEATURES:

- » Flexible PU foam
- » Permanent adhesive
- » Very good signalisation effect
- » Easy to apply to almost all surfaces*
- » Silicone-free
- » Fire performance: Euroclass E (EN 13501-1)

- » Temperature resistant
- » Available in lengths of 1 m or on request in 2 m lengths

APPLICATIONS:

- » Edge protector
- » Prevention of impact injuries at shelves and corners
- » Production area




**SHOCK
ABSORPTION
REDEFINED**


* Apply to flat and straight surfaces free from dust and grease. Do not bend.

NOMA® PROTECT
WARNING PROFILES
COLOUR
 Yellow/black


LENGTH
 1.000 mm*

PACKAGING
 Lengths in boxes



Type	Packaging unit m	Item code
WP C 40 x 28 mm	6	3044628
m ³ /☐ = 0,01 ☐ 1030 * 130 * 80 mm		




Type	Packaging unit m	Item code
WP C 50 x 25 mm	6	3044629
m ³ /☐ = 0,01 ☐ 1030 * 130 * 80 mm		




Type	Packaging unit m	Item code
WP P 40 x 11 mm	12	3044631
m ³ /☐ = 0,01 ☐ 1030 * 130 * 80 mm		




Type	Packaging unit m	Item code
WP L 32 x 22 mm	12	3044630
m ³ /☐ = 0,01 ☐ 1030 * 130 * 80 mm		




Type	Packaging unit m	Item code
WP U 39 x 36 mm	6	3044728
m ³ /☐ = 0,01 ☐ 1030 * 130 * 80 mm		




Type	Packaging unit m	Item code
WP L 54 x 41 mm	6	3044729
m ³ /☐ = 0,01 ☐ 1030 * 130 * 80 mm		




*Length of 2.000 mm on request

Type	Packaging unit m	Item code
WP U 27 x 30 mm	6	3044730
m ³ /  = 0,01  1030 * 130 * 80 mm		



Type	Packaging unit m	Item code
WP P 40 x 28 mm	6	3044727
m ³ /  = 0,01  1030 * 130 * 80 mm		



Type	Packaging unit m	Item code
WP Ud 39 x 36 mm	6	3051532
m ³ /  = 0,01  1030 * 130 * 80 mm		



Type	Packaging unit m	Item code
WP Uv 39 x 36 mm	6	3051531
m ³ /  = 0,01  1030 * 130 * 80 mm		



Type	Packaging unit m	Item code
WP O 40 x 40 mm	6	3051530
m ³ /  = 0,01  1030 * 130 * 80 mm		





TECHNICAL FOAMS

Your foam specialist with a wide range of standard products and well thought out customer-specific solutions. We use our know-how to provide a bespoke, individual and sustainable solution for all your foam applications.

PROCESSING

Our core skill lies in the development, production and international marketing of technical foams. We have mastered the required technological methods in order to process raw materials and combine them in a complex and precise production process.

Our products' varied range of applications can be customized by means of additional processing. Countless techniques and options are available for further improving products during or following the production process. Naturally we work closely with our customers to collectively devise the best possible solution.

EXTRUSION

Extrusion is the ability to create technical ambitious foam profiles; cross-linked or non-cross-linked sheets and rolls for both standard and custom designed specifications. Thanks to many years of experience, we are able to combine and optimise the whole process and production chain. Various densities, colours, tailor made profiles and foils are also available upon request. Coextrusion is a production process of foam in which two or more compatible feed materials are merged together. Foam profiles can be coated with an additional layer of non foamed material in various colours or they can be reinforced with an additional coating to increase for example their mechanical or UV resistance.

LAMINATING

Lamination is the technique of manufacturing a material in multiple layers, so that the composite material achieves improved strength, sound insulation, appearance or other properties. Whether it will be foam on foam or semi-finished material lamination, high emissivity aluminum foil or hook and loop fastener – there are many possibilities.

THERMOFORMING

Thermoforming is a manufacturing process where a foam product is heated and formed to a specific shape in a mould and finally trimmed to create a finished product. A wide range of extremely complex design criteria can be met and even three dimensional products can be realized.

CONVERSION

ADHESIVE

We are able to apply different types of adhesives to join materials together; either with a hot melt or an adhesive tape. The adhesion can be permanent or removable, adapted to a specific temperature range. We offer a great choice of possibilities.

CUTTING

Extruded profiles or foils and sheets could be upgraded by additional mechanical process like cutting, milling or stamping. According to customer requirement they can be for example, equipped with special cuts to make them more flexible and elastic. Foam profiles can be finished partially cut to simplify handling and avoid waste material.



CONTACT

BE - BELGIUM

NMC sa

Gert-Noël-Strasse
B - 4731 Eynatten

Phone: +32 87 85 85 00

Fax: +32 87 85 85 11

Email: info@nmc.eu

DE - GERMANY

NMC Deutschland GmbH

Weierhausstrasse, 8b
D - 64646 Heppenheim

Phone: +49 6252 967 - 0

Email: info@nmc-deutschland.de

FR - FRANCE

NMC France sas

Zone Industrielle de la Forêt
97, route d'Anor - CS 10103
F - 59613 Fourmies Cedex

Phone: +33 3 27 60 81 00

Fax: +33 3 27 59 98 55

Email: info@nmc-france.fr

IT - ITALY

NMC Italia s.r.l.

Via A. Volta 27/29
I - 20042 Pessano con Bornago
(Milano)

Phone: +39 02 955 454 - 1
Fax: +39 02 955 454 - 30
Email: info@nmc-italia.it

SE - SWEDEN

NMC Sverige AB

Stenstorpsvägen 35, Box 103
SE - 305 75 Getinge

Phone: +46 35 588 00
Fax: +46 35 588 90
Email: info@nmc.se

FI - FINLAND

NMC Cellfoam Oy

Eturuskonkatu 2
FI - 33720 Tampere

Phone: +358 29 7010 1200
Fax: +358 3 379 1316
Email: sales@cellfoam.fi

UK - UNITED KINGDOM

NMC UK Ltd.

Tafarnaubach Industrial Estate
UK - NP22 3AA Tredegar,
South Wales

Phone: +44 1495 71 32 66
Email: enquiries@nmc-uk.com

NMC Cellfoam AB

Fritslavägen 82 - Box 4081
SE - 511 04 Kinnahult

Phone: +46 320 210 900
Fax: +46 320 210 901
Email: info.cellfoam@nmc.se

NMC Termonova Oy

Torppanummentie 44
FI - 10210 Inkoo

Phone: +358 (0) 207 809 600
Fax: +358 (0) 207 809 601
Email: info@termonova.fi

NO - NORWAY

NMC Norge AS

Tuneveien 89
NO - 1712 Grålum

Phone: +47 47 45 60 44
Email: info@nmc-norge.no

PL - POLAND

NMC Polska Sp. Zo.o.

Ul. Pyskowicka 15
PL - 41807 Zabrze

Phone: + 48 32 373 24 36
Email: biuro@nmc.pl

VISIT US ON:



NMC reserves the right to update the product line or its technical features to the state-of-the-art technology anytime and without previous announcement. All given information is to the best of our knowledge. If you have any questions concerning technical details please contact the NMC information service. Any partial reproduction or reprint shall require our explicit approval.



NMC sa

Gert - Noël - Strasse · B - 4731 Eynatten
☎ +32 87 85 85 00 · 📠 +32 87 85 85 11
info@nmc.eu



www.nmc-nomafoam.com