

NOMAPACK® WS

EDGE PROTECTION FOR GLASS, SHEET METAL AND NARROW GOODS

NOMAPACK® WS provides protection against scratches and breakage during the transport of glass products, windshields and other narrow or sharp-edged items. The integrated internal cavity reinforcement is designed to reduce the risk of the profile being pierced by sharp edges and thereby supports product-specific protection during transport. A range of tooling accessories enables proper processing of NOMAPACK® WS profiles.

PRODUCT FEATURES:

- » Manufactured from polyethylene (PE LD) foam
- » Water absorption: < 1 – vol.% after 40 days
- » Supplied on coils
- » Coil length tolerance up to a maximum of $\pm 2\%$
- » Multishape version available for easy fitting

APPLICATIONS:

- » Glass edges
- » Windscreens
- » Heavy and sharp goods

RECYCLING INFORMATION: This product can only be processed in specific polyethylene (PE LD) recycling systems where suitable collection, sorting and recycling infrastructure is available. Such systems are not widely established and their availability varies by region. Whether recycling is possible therefore depends on local waste management capabilities.

PROTECTION IN TRANSIT




ENSURE YOUR **VALUABLE GOODS** ARRIVE IN **PERFECT CONDITION**

nmc

NOMAPACK® WS 33x26 CBC


Profile with internal cavity reinforcement for edge thicknesses from 3 to 6 mm or windshields without rubber trim.

Supplied on coils for custom length adjustment.



COLOUR
Standard blue

PACKAGING
On coils




Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
30 33 x 26 CBC*	26 ±1	12 ±1	0-3	33,5 ±1	460	3002306
m ³ /  = 0,70	 1200 * 460 mm		4  on pallet			

NOMAPACK® WS 33x26 HD BC/CBC

Profile for edge thicknesses from 3 to 6 mm or for heavy windshields without rubber trim.

Available with or without internal cavity reinforcement.

Supplied on coils for custom length adjustment.



COLOUR
Dark blue

PACKAGING
On coils



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
33 x 26 HD BC	26 ±1	12 ±1	0-3	33 ±1	460	3002305
33 x 26 HD CBC*	26 ±1	12 ±1	0-3	33 ±1	460	3002301
m ³ /  = 0,70	 1200 * 460 mm		4  on pallet			



*CBC = with inside reinforcement (coextrusion)

NOMAPACK®
WS 33x26 EDGE PAD BC


Profile for the protection of sensitive goods such as glass parts, mirrors and metal components during transport. Supplied on coils for custom length adjustment.

COLOUR
Standard blue

PACKAGING
On coils



Type	A mm	B mm	D mm	E mm	Packaging unit m	Item code
 33 x 26 E-P* BC	25 ±1	10 ±2	33 ±1	160 ±7	460	3002300
m³/  = 0,70		 1200 * 460 mm		4  on pallet		




NOMAPACK®
WS 33x26 EDGE PAD CBC

Pre-cut profile with patented internal cavity reinforcement to support the protection of glass parts, mirrors and metal components during transport. Supplied on coils for custom length adjustment.

COLOUR
Dark blue

PACKAGING
On coils



Type	A mm	B mm	C mm	D mm	E mm	Packaging unit m	Item code
 33 x 26 E-P* CBC**	26 ±1	13 ±1	3	33 ±1	160 ±7	460	3002302
m³/  = 0,70		 1200 * 460 mm				4  on pallet	


NOMAPACK®
WS CORNER 70° CB

Corner protection with internal cavity reinforcement. Other dimensions available on request.

COLOUR
Dark blue

LENGTH
50x50 ±5 mm


PACKAGING
Pieces in boxes



Type	A mm	B mm	C mm	D mm	Packaging unit pcs	Item code
 50 x 50 CB**	26 ±1	12 ±1	2,5	33 ±1	2.000	3008936
m³/  = 0,17		 600 * 400 * 700 mm		8  on pallet		

NOMAPACK® WS CORNER 90° CB

Corner protection with internal cavity reinforcement.




COLOUR
Standard blue

LENGTH
100x100 ±10 mm

PACKAGING
Pieces in boxes



Type	A mm	B mm	C mm	D mm	Packaging unit pcs	Item code
100 x 100 CB*	26 ±1	12 ±1	3	33,5 ±1	775	3038245
m³/ = 0,26		785 * 585 * 585 mm		8 on pallet		





NOMAPACK® WS 35x26 BC/CBC


Transport protection profile for windshields with or without rubber trim.
Supplied on coils for custom length adjustment.

COLOUR
Standard blue

PACKAGING
On coils



Type	A mm	B mm	C mm	D mm	E mm	F mm	Packaging unit m	Item code
 35 x 26 BC	26 ±1	12 ±1	3	35 ±2	12 +1	16 +1	350	3002310
 35 x 26 CBC*	26 ±1	12 ±1	3	35 ±2	12 +1	16 +1	350	3002311
m³/  = 0,70		 1200 * 460 mm				4  on pallet		



NMC reserves the right to update the product line or its technical features to the state-of-the-art technology anytime and without previous announcement. All given information is to the best of our knowledge. If you have any questions concerning technical details please contact the NMC information service. Any partial reproduction or reprint shall require our explicit approval.




09/2026 · © NMC sa, 2026 · Resp. Publisher: NMC sa · Gert-Noël-Strasse · B-4731 Eynatten

NOMAPACK®
WS 45x26 CBC


Transport protection profile for
windshields with or without rubber trim.
Supplied on coils for custom length
adjustment.

COLOUR
Standard blue

PACKAGING
On coils



Type	A mm	B mm	C mm	D mm	E mm	G mm	H mm	Packaging unit m	Item code
 45 x 26 CBC*	26 ±1	10 ±1	3	46 ±2	11 ±1	22 ±1	10 ±1	290	3003842
m³/  = 0,70		 1200 * 460 mm		4  on pallet					





NOMAPACK®
WS 40x30 CBC

Profile for use with windshields featuring
a rubber trim on the inner side.
Supplied on coils for custom length
adjustment.

COLOUR
Dark blue

PACKAGING
On coils






Type	A mm	B mm	C mm	D mm	E mm	G mm	Packaging unit m	Item code
 40 x 30 CBC*	34 ±2	21 ±1	6	42 ±2	18 ±1	8 ±1	270	3002312
m³/  = 0,70		 1200 * 460 mm		4  on pallet				

NOMAPACK®
WS 60x30 CBC

Profile for use with windshields
featuring a rubber trim on the outer
side.
Supplied on coils for custom
length adjustment.

COLOUR
Standard blue

PACKAGING
On coils



Type	A mm	B mm	C mm	D mm	E mm	H mm	Packaging unit m	Item code
 60 x 30 CBC*	31 ±2	10 ±1	5,6	61 ±3	16 ±1	13,5 ±1	200	3002314
m³/  = 0,70		 1200 * 460 mm		4  on pallet				

